



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Dee C. Hansen, State Engineer

1636 West North Temple • Salt Lake City, UT 84116 • 801-533-6071

MASTER FILE

February 10, 1983

Ambra Oil & Gas Company 47 West 200 South, Suite 510 Salt Lake City, Utah 84101

RE: Temporary Application 58503 (01-177)

Gentlemen:

Enclosed is a copy of your approved Temporary Application Number 58503 (01-177). This is your authority to construct your works and to divert the water for the uses described.

This application will expire December 31, 1983, and it is expected that no diversion or use of the water will be done after that date unless another proposal has been made and approved.

Your contact with this office, should you need it, is with the Area Engineer, Mark Page. The telephone number is 637-1303.

Yours truly,


Dee C. Hansen, P. E.

State Engineer

DCH:slm

Enclosure

NOTICE OF STAKING (Not to be used in place of		RMOGA 5/5/82	5.	Lease Number		
Application to Drill Form 9–33	U-42223					
	6.	If Indian, Allottee	or Tribe Name			
1. Oil Well XX Gas Well	Other		·	NA		
		İ	7.	Unit Agreement N	ame	
2. Name of Operator				NA		
Ambra Oil & Gas Company		Ī	8.	Farm or Lease Nan	ne	
3. Address of Operator or Agen	t		•	Inland Fuels		
47 W. 200 S., Suite 510 S	alt Lake City, UT 8	4101	9.	Well No.		
4. Surface Location of Well				Inland Fuels) _ 5	
(Governmental 1/4 or 1/4 1/4	1)		10.	Field or Wildcat Na		
780' FWL 2000' FNL, SW	NW4			Greater Cisco	Area	
Attach: Topographical or other showing location, ac	ner acceptable map cess road, and lease bound	daries.		Sec., T., R., M., or Blk and Survey or		
14. Formation Objective(s)	15. Estimated Well De	pth	Sec. 9, T20S R23E			
		.	12.	County or Parish	13. State	
Morrison Salt Wash	2400¹			Grand	Utah · ·	
16. To Be Completed by Operat	tor Prior to Onsite	····				
a. Location must staked	•					
b. Access Road Flagged		•			,	
c. Sketch and/or map of loca (To be provided at onsite)	ation, showing road, pad o	dimensions,	, rese	rve pit, cuts, and fil	İs	
17. To Be Considered By Operat	ors Prior to Onsite					
a. H ₂ S Potential		•		1 1 1 12 12 12 12 1		
b. Private Surface Ownership	·					
c. Cultural Resources (Archa	eology)			LUN S JUN S	1983	
d. Federal Right of Way						
			,;	: DIVISIO	NOF	
18. Additional Information		·.				
	•					
	· · · · · · · · · · · · · · · · · · ·	•				
	:			ر		
19. Signed Linda Conde	Title Pro	oduction)	Mana	gerDate	e June 28, 1983	



18.

21.

 $\bar{2}\bar{3}$

Form approved. Budget Bureau No. 42-R1425.

	UNIT DEPARTMENT	ΓED STATES Γ OF THE IN	ITERIOR	reverse side)]	Orilling Bond #	
	GEOLO	GICAL SURVE	Υ			U-42223	
APPLICATIO	N FOR PERMIT	TO DRILL, D	EEPEN, OR P	LUG BA	CK	6. IF INDIAN, ALLOTTEE	OR TRIBE NAME
1a. TYPE OF WORK	ILL X	DEEPEN [UG BACK		NA 7. UNIT AGREEMENT NA NA	AME
OIL X	VELL OTHER		NINGLE ZONE	MULTIPLE ZONE		S. FARM OR LEASE NAM	T 166
2. NAME OF OPERATOR						Inland Fuel	.s
Ambra Oil &	Gas Company					9. WELL NO.	
3. ADDRESS OF OPERATOR						9-5	
47 W. 200 S.	, Suite 510 Sal	Lt Lake City	UT 84101			10. FIELD AND POOL, O	R WILDCAT
4. LOCATION OF WELL (F	Report location clearly and	in accordance with	any State requireme	nts.*)		Greater Cis	co Area 🗸
At proposed prod. zo	ne 988' FWL 19	972' FNL, SW	å NWå			Sec. 9, T20	ea Ea
14. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POST	OFFICE*			12. COUNTY OR PARISH	13. STATE
12 miles nor	theast of Cisco,	. Utah				Grand	Utah
15. DISTANCE FROM PROP LOCATION TO NEARES PROPERTY OR LEASE (Also to nearest dri	T LINE, FT.	550'	16. NO. OF ACRES IN 1840		TO TE	f acres assigned is well 10	
18. DISTANCE FROM PROJ TO NEAREST WELL, I OR APPLIED FOR, ON TH	ORILLING, COMPLETED,)50 '	19. PROPOSED DEPTH 2400!			ay or cable tools	
21. ELEVATIONS (Show wh			"Volve			22. APPROX. DATE WO	RK WILL START*
483	6' GR		IA.			September	1, 19 83
23.	I	PROPOSED CASING	AND CEMENTING	PROGRAM		-	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOO	OT SETTING D	ЕРТН		QUANTITY OF CEMEN	т
11"	8-5/8"	24#	160'		35 s	x (cement to s	urface)
6-3/4"	411	10분#	2400 '		135 s	X	

Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested.


Blowout equipment to be used: 8" 900 series double gate shaffer hydraulic type LWS

1111 3 c 1983

APPROVED BY THE STATE OF UTAH DIVISION OF DIVISION OF S dan on present productive zone and approbed new productive IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: Troposed zone. If proposel is to drill or deepen directionally give ce locations and measured and true vertical depths. Give blowout preventer program, if any. 24. DATE July 22, 1983 (This space for Federal or State office use) 43-019-31085 APPROVAL DATE

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY _



SCALE: 1" . 1000"

1.F. #9-5


Located South 1972 feet from the North boundary and East 988 feet from the West boundary of Section 9, T20S, R23E, SLB&M.

 $RP 200^{\circ} N = 4818.9$

Elev. 4836

RP 200' S = 4845.6

Grand County, Utah



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF





UDELL S. WILLIAMS

751 Rood Avenue GRAND JUNCTION, COLORADO 81501

PLAT OF PROPOSED LOCATION

I.F. #9-5 Swinwi Section 9 T205, R23E, SLB&M

UTAH R.L.S. NO. 2573

DRAWN BY: USW DATE: 7/6/83

BUREAU OF LAND MANAGEMENT Branch of Fluid Minerals 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104 RE: AMBRA INLAND FUELS 9-5 NTL-6 Supplementary Information for APD, 9-331-C

Application for Ambra Oil & Gas Company, a Utah corporation, to drill in the SW½ NW½ of Section 9, T2OS, R23E, Grand County, Utah is set forth on Form 9-331-C. The purpose of this letter is to present the additional information required on the NTL-6 regulation.

1. Geologic Name of Surface Formation: Cretaceous Mancos Shale

2. & 3. Geological Formation Tops:

Cretaceous	Mancos Shale Dakota	Surface 1810'	
Jurrasic	Morrison (Brushy Basin)	1996'	
	Morrison (Salt Wash)	2286 '	
	Total Depth	2400'	

- 4. Casing Program: See Form 9-331-C.
- 5. Pressure Control Equipment: BOP and manifold to be tested 1000 psi prior to drilling out shoe joint. Pipe rams will be operational and tested daily. Blind rams will be operational and tested on trips. BOP and manifold will be visually inspected daily. All tests will be recorded on daily tour sheets. See BOP schematic.
- 6. Drilling and Circulating Medium: Operator plans to drill with air and air mist as far as possible. A water-based drilling fluid will be used in the event formation water is encountered, to control or kill oil or gas flows, and when running long string $(4\frac{1}{2}", 10.5 \text{ lb. casing})$. It will consist of an invert polymer-type biodegradable mud at 8.2 lb. per gallon. Weight and mud to 10 lb. per gallon will be provided if required. Potassium chloride (KCL) D.G. chemical will be added as required.
- 7. Auxiliary Equipment: (1) Kelly Cock Demco; (2) Floats at the bitsub and string; (3) No monitoring equipment on mud system; and (4) Sub on floor with a full-opening valve. The fill, kill, and choke lines will be attached to the wellhead below the BOP. The following auxiliary equipment will also be used:
 - a. 6000# shut-off valve on stand pipe.
 - b. One float at bit and two string floats.
 - c. Sub $3\frac{1}{2}$ " IF to 2" valve for controlling blowouts when making round trips.

- 8. Testing, Logging, & Coring: Schlumberger or Gearhart. No DST's programmed. Electric logs will consist of dual induction laterlog (DIL), compensated neutron and formation density (CNFD), caliper log (CL), and sonic BHC. If casing is set, a cement bond log (CBL) and gamma ray log (GRL) will be run. Drilling samples will be taken every 10 feet starting 100 feet above the Dakota formation. Microscope analysis will be done by a geologist.
- 9. The maximum bottom hole pressure expected is 1500 psi. Flexibility provisions are the BOP and high-pressure fittings and couplings. No hydrogen sulfide problems are expected.
- 10. The approximate starting date is September 1, 1983, and drilling should take from five to ten days.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Ambra Oil & Gas Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

July 22, 1983

LINDA CONDE

Production Manager

July 21, 1983

BUREAU OF LAND MANAGEMENT Branch of Fluid Minerals 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104 RE: AMBRA INLAND FUELS 9-5
Multipoint Requirements

Existing Roads

- a. Proposed well site is staked.
- b. Route and distance from nearest town. Well site is located approximately 12 miles northeast of Cisco, Utah. Exit at the east Cisco Bookcliff exit on I-70. Go north about 150 feet and turn left at the first intersection of the county road. Proceed northwest on the Cisco Springs County Road approximately 5½ miles until an intersection of four roads occurs. Take the west road (to the left) down the hill for apporximately 900 feet until the access road to the Cisco SS 9-4 well is encountered on the right (northwest). Proceed to the 9-4 well pad. The access road to the 9-5 well begins on the west side of the 9-4 location. The length of the new access road is approximately 2150 feet to the south side of the proposed location. The new road crosses a wash and then parallels an existing fence line.
 - c. Access road is dotted in red. The existing roads are solid in blue.
 - d. Does not apply.
- e. If a development well, list all the existing roads within a one-mile radius of well site. This radius includes the Cisco Springs County Road and the road headed south towards Cisco Wash.
- f. Plans for improvement and/or maintenance of existing roads. The operator will maintain existing roads according to Class III Standards. No improvements to existing roads are necessary.

2. Planned Access Road

- 1. Width: 16' travel surface, 24' disturbed width. The top 2" of topsoil material will be windrowed along the access road. The access road will follow the ridge and utilize existing cuts as much as possible.
- 2. Maximum grades: ½ to 1 degree. Where the road crosses the wash, native material will be used to gravel the bottom of the water crossing.
 - 3. Turn-out: no turn-outs are needed.
- 4. Drainage design: small borrow pit on uphill side for drainage. Should production be established, the road will be upgraded to include ditch and crown.

AMBRA INLAND FUELS 9-5
Multipoint Requirements
Page -2-

- 5. Location of culverts and brief description of any major cuts and fills. No culverts are needed in this area. No major cuts or fills are required.
- $\,$ 6. Surfacing material: native material will be used to gravel the bottom of the water crossing.
- 7. Necessary gates, cattleguards, or fence cuts: since the proposed road parallels an existing fence line, the fence will be stabilized during construction of the access route. Gates will be installed where the road crosses the fence twice. If production is established, cattleguards will replace gates.
- 8. New or constructed roads. Operator will make use of existing roads in the area. The new access road will be constructed approximately 2150 feet in length according to Class III Standards. The width will be 16' travel surface and 24' disturbed width. The access road will cross a wash, the bottom of which will be graveled with native material. Access will follow the ridge located to the west and will utilize existing cuts where feasible. During construction of the location and during drilling activities, the allotment fence will be removed. However, prior to any work on this location, the BLM Grand Resource Area (80-259-8193) will be contacted to determine the need for a temporary fence during construction and drilling. If production is established, the fence line will be restored to the original position. If the well is determined to be non-commercial, the fence line will be restored to the original position following rehabilitation of the location. The access road will enter the location on the south side.

3. Location of Existing Wells

- a. See USGS topographic map.
- b. Producing wells in a one-mile radius:
 - 1. Sec. 4 Frank Adams 1-622; gas
 - 2. Sec. 4 Willard Pease No. 143; gas
 - 3. Sec. 9 TXO 9-1; gas
 - 4. Sec. 9 Willard Pease 1-355; oil
 - 5. Sec. 9 Willard Pease 1-506; gas
 - 6. Sec. 10 Willard Pease No. 1; oil & gas
 - 7. Sec. 10 Willard Pease No. 5; gas
- c. Producing wells in a two-mile radius:
 - 1. Sec. 3 Frank Adams 1-037; gas
 - 2. Sec. 10 Willard Pease No. 6; gas
 - 3. Sec. 10 Cisco SS 10-2; oil
 - 4. Sec. 15 Willard Pease #1; oil & gas
 - 5. Sec. 15 TXO 15-2; oil & gas
 - 6. Sec. 32 Willard Pease #1; gas (T19S, R23E)
- d. No water, disposal, or injection wells are in a one-mile radius.

4. Location of Existing and/or Proposed Facilities

- a. 1. Tank batteries. Operator maintains various production storage tanks in T20S, R23E. If oil production is established, new tank batteries will be installed in the southwest corner of the proposed location and will be 125 feet from the wellhead. Earthen berms will be constructed around any tank batteries to hold 110% of the tank volume.
- 2. Production facilities. Operator maintains various pumpjacks, dehydrators, and separators in T2OS, R23E. If gas production is established, new production facilities will be located in the southwest corner of the proposed location. All above-ground equipment will be painted using one of the colors specified by BLM personnel in their concurrence letter.
- 3. Oil gathering lines. None only to tank at location if oil production is established.
- 4. Gas gathering lines. Northwest Pipeline's lateral A-1 (4") in the NE $\frac{1}{4}$ of Section of 9 and Trunk A (6") in the north half of Sections 14 and 15. Gas lines will follow existing roads as much as possible.
 - 5. Injection lines. None.
 - 6. Disposal lines. None.
- b. Any facilities required in the event of production will be located in the southwest corner of the proposed location. See the enclosed sketch of the area showing planned production facilities. All open and exposed pits will be fenced to protect livestock and wildlife. An earthen fire bunker will be built around any tanks with sufficient capacity to hold 110% of the tank volume. Gas lines will be laid on the surface to the lateral A-1 line (pending right-of-way) operated by Northwest Pipeline. A time schedule for this will be within a 60-day period upon completion of the well.
- c. The reserve pit and any portion of the location and access road not needed for production or production facilities will be reclaimed as described in the rehabilitation section. All stockpiled/windrowed topsoil will be used in reclaiming unused areas.

5. Location and Type of Water Supply

- a. Cisco Springs in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 4, T2OS, R23E. We have a state water permit. The letter of approval is attached.
 - b. State method of transporting water. Water tank truck.
 - c. No water well is planned or needed.

AMBRA INLAND FUELS 9-5 Multipoint Requirements Page -4-

6. Source of Construction Materials

The location will be on Federal land so if any sand or gravel is needed, it will be brought into the area from a private source in Thompson, Utah, 21 miles west. No construction materials are planned or needed. This is flat desert land on a Mancos Shale formation. Bladed roads that are watered and packed down are the best roads for this area.

7. Method for Handling Waste Disposal

Cutting and drilling fluids will be discharged via air into the reserve pit. A portable chemical toilet will be on location for sewage. Garbage and wastematerials will be placed in a trash cage and hauled out when work is completed. The location will be cleaned, and all materials will be hauled away. Produced fluids (oil and water) will go into tanks and pits, respectively. The blouey line will be 125 feet long, centered, and angled down into a trench pit. It will be anchored. The blouey line will be misted while drilling with air. The area will be free of trash and debris when the rig is moved out. If any waste material is to be burned, a burning permit will be obtained from the State Land Forestry and Fire Control office in Moab, Utah prior to burning.

8. Auxiliary Facilities

None other than a trailer and dog house. No camp or air strip is required.

9. Well Site Layout

- 1. Cross section of 195' \times 100' drill pad with cuts and fills. The top 4 inches of soil material will be stockpiled/windrowed on the south side of the location.
- 2. Mud tank, reserve pit, and trash cages. See well pad schematic. The reserve/blouey pit will be in the southeast corner of the location. The pit will be fenced on 3 sides prior to drilling, and the fourth side will be fenced when drilling is completed. The fence will be 36" high of woven wire plus one strand of barbed wire on top for support.
 - 3. See drawing.
 - 4. Pits are to be unlined.

10. Restoration Plans

- 1. Immediately upon completion of drilling, the location and surrounding area will be cleared of all debris resulting from the operation. All trash will be disposed of in the portable trash cage and will be hauled to a local town dumpsite. No trash will be left in the pits.
- 2. The operator or his contractor will notify the Grand Resource Area BLM Office in Moab, Utah (801-259-8193) 48 hours prior to starting rehabilitation work that involves earthmoving equipment. The Grand Resource Area BLM Office in Moab will again be notified upon completion of restoration.

AMBRA INLAND FUELS 9-5 Multipoint Requirements Page -5-

- 3. Prior to any dirtwork restoration of disturbed areas, the reserve/blouey pit will be dry and completely free of trash or debris. Any such trash or debris will be removed from the pit and public lands.
- 4. All disturbed areas to be restored will be recontoured to blend with the surrounding area. The stockpiled/windrowed topsoil will be evenly distributed over the rehabilitated area. All disturbed areas will be scarified on the contour from north to south to a depth of 6 inches.
- 5. The rehabilitated area will be seeded from October 15 to November 15 or any other time that the Grand Resource Area Office approves. BLM personnel will provide the appropriate seed mixture with their concurrence letter. The seed mixture will be broadcast. Following broadcast seeding, the area will be harrowed or dragged to assure seed cover. Stockpiled vegetation will be scattered evenly over the reclaimed area and walked down with a dozer. Any reclaimed access roads will be blocked to prevent use.
- 6. If the proposed well is completed as a producer, any unused areas will be reclaimed as previously described.
 - 7. After the rig is moved.
- 8. If there is oil in the pit, we will either remove it or install overhead flagging.
- 9. Rehabilitation of the well site area will be completed within 60 days after abandonment with the exception of reseeding following BLM instructions (October 15 to November 15). In the event the well is completed as a dry hole, rehabilitation will take place within 60 days after release of the drilling rig. In the event the well is completed as a commercial producer of oil and/or gas, unused portions of the well pad will be rehabilitated within 60 days after completion. All restoration will be as per BLM instructions.

11. Other Information

- 1. The location is part of the Green River desert area. Vegetation consists of scrub sagebrush, rabbitbrush, greasewood, and shadscale. Cattle and sheep graze the area in the fall and spring seasons. Cisco Springs is approximately one mile to the northeast with practically no dwellings and no evidence of historical, cultural, or archaeological value.
- 2. The Grand Resource Area office in Moab, Utah (801-259-8193) will be contacted 48 hours prior to commencing any work on public lands.
- 3. The operator's dirtwork and drilling contractors will be furnished with an approved surface-use plan and with BLM stipulations prior to any work.

- 4. An archaeological survey is not required since the area has been previously cleared.
- 5. If any subsurface cultural material is exposed during construction, work will stop immediately, the the Grand Resource Area Office will be notified. All persons in the area will be informed of possible prosecution if they disturb archaeological sites or remove artifacts.

12. Operator

Ambra Oil and Gas Company American Plaza III 47 West 200 South, Suite 510 Salt Lake City, Utah 84101

Telephone: (801) 532-6640

Attention: Linda Conde

13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Ambra Oil and Gas Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

July 22, 1963

LINDA CONDE


Production Manager

Cut and Fill Diagram


Horizontal Scale: 1"= 60' Vertical Scale: 1" = 12'

Inland Fuels 9-5

graded stake elevation = 4836 gt graded stake elevation = 4832 gt





The soil cut at the stake location will be used as fill on the south perimeter of the well pad.



Excess fill and topsoil will be ofockpill on the south edge of the location.

WELL PAD SCHEMATIC
Inland Fuels 9-5





TANK BATTERY

FENCED

AND

FI RE

BERMED

X 10/200P


X 10/

DIL AND/OR GAS

SOILE 1 : 40

METER

SEPERATOR/ DEHYDRATOR



					1.00()		
	.3	(· ·	100 P	
OPERATOR A	MBRA OIL	\$GAS CO	9		DATE _	7-28-83	
WELL NAME	NLAND FU	EZS #	9-5				
SEC SWNW	<u>9</u> T	205	R 236	COUNTY _	GNAXIO		
	43 - 019 - 31 API NUMBER	085			SOF LEASE		
POSTING CHECK	OFF:						
	INDEX		MAP			HL	
	NID					PI	
PROCESSING CO	MENTS:	+ 10		tal .			
310	the Ho	here is	rompee		a god	s well bounds of	
	insui a	reasin	9 - 1/1	wance,	from	- barnda	sy;
	ie, and	oll wel	40 ON -	Water	right	OK	
THE PERCE	UM ENGINEER RE	VIEW:					
· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·					
APPROVAL LETT	ER:	· · · · · · · · · · · · · · · · · · ·					
SPACING:	A-3	UNIT	<u></u>	с-3-а	102-16, CAUSE	3 //-/5-2 NO. & DATE	79
	c-3-b			c-3-c	et e		
SPECIAL LANGU	AGE:						
		· · · · · · · · · · · · · · · · · · ·			***************************************		
							·
							-

			· · · · · · · · · · · · · · · · · · ·				-

RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT MA	Ψ.
AUTHENTICATE LEASE AND OPERATOR INFORMATION	
VERIFY ADEQUATE AND PROPER BONDING	
AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.	
APPLY SPACING CONSIDERATION	
ORDER	
UNIT	
c-3-b	
с-3-с	
CHECK DISTANCE TO NEAREST WELL.	
CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS.	
IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER	
IF IN OIL SHALE DESIGNATED AREA, SPECIAL APPROVAL LANGUACE.	

July 29, 1983

Ambra Oil & Gas Company 47 West 200 South, Suite 510 Salt Lake City, Utah 84101

> RE: Well No. Inland Fuels #9-5 SWNW Sec. 9, T. 20S, R. 23E 1972' FNL, 988' FWL Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with the Order issued in Cause No. 102-16B dated November 15, 1979.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to <u>immediately</u> notify the following:

RONALD J. FIRTH - Chief Petroleum Engineer

Office: 533-5771 Home: 571-6068

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-019-31085.

Sincerely,

Norman C. Stout

Administrative Assistant

NCS/as

cc: Branch of Fluid Minerals

Encl.

la. TYPE OF WORK

b. TYPE OF WELL WELL X OIL.

2. NAME OF OPERATOR

3. ADDRESS OF OPERATOR

DRILL 🔯

Ambra Oil & Gas Company

GAR WELL

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR

OTHER

SUBMIT IN TRIPLICATES (Other instruction

Form approved. Budget Bureau No. 42-R1425,

LEASE DES	CHAT	ION: AND	BERIA	L. NO.
illing	Bono	1 # N	1-046	5557
,				

reverse side)	Drilling Bond # M-0/6557
ĺ	Drilling Bond # M-046557 5. LEASE DESIGNATION AND SERIAL MO.
	WECEIVED U-42223
PLUG BACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	NA OUL LU 1000
LUG BACK 🗌	7. UNIT AGREEMENT NAME SALI LANE CITY, UTAH
200 2. ve.v	NA
MULTIPLE	6. FARM OR LEADE NAME
PallW	Inland Fuels
COCO U	9. WELL NO.
	9-5
	10 FFELD AND POOL, OR WILDCAT
	Greater Cisco Area
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

47 W. 200 S., Suite 510 Salt Lake City, UT 4. LOCATION OF WELL (Report location clearly and in accordance with any State requires DIVISION OF 988' FWL 1972' FNL, SW1 NW1 At proposed prod. zone

DEEPEN [

OIL GAS & MINING Sec. 9, T20S R23E 12. COUNTY OR PARISH | 13. STATE

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE. Grand Utah 12 miles northeast of Cisco, Utah 17. NO. OF ACRES ASSIGNED 16. NO. OF ACRES IN LEASE 15. DISTANCE FROM PROPOSED* TO THIS WELL LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig, unit line, if any) 10 650**'** 1840 20. ROTARY OR CABLE TOOLS 19. PROPOSED DEPTH 18. DISTANCE FROM PROPOSED LOCATIONS TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 10501 24001 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4836' GR

22. APPROX. DATE WORK WILL START September 1, 1983

PROPOSED CASING AND CEMENTING PROGRAM $\overline{2}3.$ QUANTITY OF CEMENT WEIGHT PER FOOT SETTING DEPTH SIZE OF HOLE SIZE OF CASING 35 sx (cement to surface) 1111 24# 160' 8-5/8" 135 sx 2400<u>'</u> 7을 II 10⅓# 6-3/4"

> Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested.

Blowout equipment to be used: 8" 900 series double gate shaffer hydraulic type LWS

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout

reventer mogram, n any.		
SIGNED Sinda Conde	Production Manager	DATE July 22, 1983
(This space for Federalco State office uses		

PERMIT NO

FLARING OR VENTING OF AS IS SUBJECT OF NTL 4 GAS IS SUBJECT OF NTL 4-A DATED 1/1/80

CONDITIONS OF APPROVAL ATTACHED

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Company	Ambra	0i1	and	d Gas	Co	mpar	ıy_		_ Well	No	9-5	
	Son	 	. 2) C	D	22	_		_		40000	
Location_	Sec.	, !	. 21	, s.,	ĸ.	_23	L.		rease	P NO.	U-42223	

A COPY OF THESE CONDITIONS SHOULD BE FURNISHED YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (30 CFR 221), and the approved plan of operations. The operator is considered fully responsible for the actions of his subcontractors. The following items are emphasized:

- 1. There shall be no deviation from the proposed drilling and/or workover program as approved. Safe drilling and operating practices must be observed. All wells, whether drilling producing, suspended, or abandoned shall be identified in accordance with 30 CFR 221.22. Any changes in operations must have prior approval of this office. Pressure tests are required before drilling out from under all casing strings set and cemented in place. Blowout preventer controls must be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to insure good mechanical working order, and this inspection recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs. All BOP pressure tests must be recorded on the daily drilling report.
- 2. All shows of fresh water and minerals will be reported and protected. A sample will be taken of any water flows and furnished this office for analysis. All oil and gas shows will be adequately tested for commercial possibilities, reported and protected.
- 3. No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of this office. If operations are to be suspended, prior approval of this office must be obtained and notification given before resumption of operations.

in the event abandonment of the hole is desired, an oral request may be granted by this office, but must be timely followed within 15 days with a "Notice of Intention to Abandon" (Form 9-331). Unless the plugging is to take place immediately upon receipt of oral approval, the District Manager must be notified at least 48 hours in advance of the plugging of the well in order that a representative may witness plugging operation. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form 9-331) must be submitted within 15 days after the actual plugging of the well bore, reporting where the plugs were placed, and the current status of the surface restoration. If surface restoration has not been completed at that time, a follow-up report on form 9-331 should be filed when all surface restoration has been completed and the location is considered ready for final inspection.

4. The spud date will be reported orally to the respective District Manager's office within 48 hours after spudding. If the spudding occurs on a weekend or holiday, wait until the following regular workday to make this report.

Periodic drilling progress reports must be filed directly with the District Manager's office on a frequency and form or method as may be acceptable to the District Manager.

In accordance with NTL-1, this well must be reported on Form 9-329 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report should be filed, in duplicate, directly with Royalty Management Accounting Center, Minerals Management Service, P. O. Box 2859, Casper, Wyoming 82602.

Any change in the program must be approved by the District Manager. "Sundry Notices and Reports on Wells" (form 9-331) must be filed for all changes of plans and other operations in accordance with 30 CFR 221.58. Emergency approval may be obtained orally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alteration of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground will require the filing of a suitable plan pursuant to NTL-6, and prior approval by the District Manager.

- 5. Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (form 9-330) will be submitted not later than 15 days after completion of the well or after completion of operations being performed, in accordance with 30 CFR 221.59. Two copies of all logs run, core descriptions, core analyses, well-test data, geologic summaries, sample descriptions, and all other surveys or data obtained and complied during the drilling, workover, and/or completion operations, will be filed with form 9-330. Samples (cuttings, fluid, and/or gas) will be submitted only when requested by this office.
- 6. Significant surface values (are) (are not) involved at this location.

 Accordingly, you (must) (need not) notify at least (24) (48) hours prior to commencing field operations to allow this office to have personnel present for consultation during the construction of roads and locations.

Your contact w	ith the Distri	ct Office is:_	Tom Hare		
Office Phone:_	801-259-6111	Ext 235	Home Phone:	801-259-	-7965
City:	Moab	والمنافذة والمستقدة والمستقد و	State:	Utah	
Resource Area	Manager's Addr	ess and contac	ts are:		
Address: 01d S	and Flat Road,	P.O. Box M, M	oab, Utah 84532		
Your contact i	s: Wayne Sve	jnoha			·
Office Phone:_	801-259-8193		Home Phone:	801-259	-8476

7. SURFACE OPERATING STANDARDS

Unless otherwise specified herein, construction and maintenance of surface facilities approved under this plan shall be in accordance with the guidelines set forth in the BLM/FS/GS Oil and Gas Brochure entitle, "Surface Operating Standards for Oil and Gas Exploration and Development". This includes but is not limited to such items as road construction and maintenance, handling of top soil and rehabilitation.

- 8. If a replacement rig is contemplated for completion operations, a "Sundry Notice" to that effect must be filed, for prior approval of the District Manager, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.
- 9. Pursuant to NTL-2B requirements regarding disposal facilities for new wells, this is authorization for unlined pit disposal of the water produced from this well for a period of 90 days from the date of initial production for sales purposes. During this period, an application for approval of the permanent disposal method, along with the required water analysis and other information must be submitted for the District Manager's approval. Failure to timely file an application within the time allowed will be considered an incident of noncompliance, and will be grounds for issuing a shut-in order until the application is submitted.
- 10. This permit is valid for a period of one year from the date of approval. If construction does not commence within 90 days from approval, the operator must contact this office 15 days prior to beginning construction. Construction under adverse conditions may require additional stipulations. If the permit terminates, any surface disturbance created under the application must be rehabilitated in accordance with the approved plan. After termination, it is required that a new application be filed for approval for any future operations.
- 11. If a tank battery is constructed on this lease, it must be surrounded by a fire wall of sufficient capacity to adequately contain the storage capacity of the battery.
- 12. This Application for Permit to Drill is approved subject to the requirement that, should the well be successfully completed for production, this office must be notified when it is placed in a producing status. Such notification will be by telegram or other written communication, and must be received in this office by not later than the first business day next following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - a. Operator name, address and telephone number.
 - b. Well name and number.
 - c. Well location (1/4, 1/4, Section, Township, Range and Prime Meridian).
 - d. Date was placed in a producing status.
 - e. The nature of the well's production, i.e. crude oil, or crude oil and casinghead gas, or natural gas and entrained liquid hydrocarbons.

- f. The OCS, Federal or Indian lease prefix and number on which the well is located. Otherwise, the non-Federal or non-Indian land category, i.e. State or private.
- g. If appropriate, the unit agreement name, number and participating area name.
- h. If appropriate, the communitization agreement number.

3.	

SUPPLEMENTAL STIPULATIONS OF APPROVAL ATTACHED

Ambra Oil and Gas Company Well No. 9-5 Section 9, T. 20 S., R. 23 E. Grand County, Utah Lease U-42223

Supplemental Stipulations:

1. The following seed mixture will be used as specified in APD:

Species		Rate 1bs/acre
Grasses		
Oryzopsis hymenoides Hilaria jamesii	Indian Rice Grass Galleta	2 1
Forbs		•
Sphaeralcea ambigua	Globe Mallow	1
Shrubs		
Atriplex confertifolia Atriplex gardnerii (Nuttalii) Eurotia lanata	Shadscale Gardner Saltbush Winterfat	1 1 1
		7

Broadcast seed will be applied at double the above rate.

Seeding will be done in the fall of the year (Oct. - Dec.) however, if the company desires, once the reserve pit is dry, rehabilitation and reseeding can commence. This may facilitate completing the location while earthmoving equipment is still on location.

2. All above-ground production facilities will be painted using the attached suggested colors:

Sand Beige	(5Y 6/3)
Desert Brown	(10YR 6/3)
Carlsbad Canyon.	(2.5Y 6/2)

These colors were selected by the Rocky Mtn. Five State Interagency Oil and Gas committee to be used as standard environmental colors. The states involved with this committee are Colorado, Montana, New Mexico, Utah and Wyoming.

The paint names referred to above are manufactured by Kansas Paint and Color Company, Wichita, Kansas. Numbers in parenthesis () refer to Munsell Soil Color Charts. Since manufacturer's names vary for paint colors any paint with an equal Munsell color notation can be substituted.

Adequate and sufficient electric/radioactive logs will be run to locate and identify anticipated coal beds in the <u>Nakota</u> formation. Casing and cementing programs will be adjusted to eliminate any potential influence of the well bore or productive hydrocarbon zones on the coal resource. Surface casing program may require adjustment for protection of fresh water aquifers.

ADDITIONAL STIPULATIONS FOR PRODUCTION FACILITIES

Your Application for Permit to Drill also included a submittal for production facilities. These production facilities are approved for the lessee and his designated operator under Section 1 of the Oil and Gas Lease with the following conditions:

- (1) The oil and gas measurement facilities must be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy are to be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. Please provide this office with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports are to be submitted to the Salt Lake City District Oil and Gas Supervisor. Royalty payments will be made on all production volume as determined by the meter measurements or the tank measurements. All measurement facilities must conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.
- (2) Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs must be housed and/or fenced.
 - (3) All disturbed areas not required for operations will be rehabilitated.
- (4) All produced liquids must be contained including the dehydrator vent/condensate line effluent. All production pits must be fenced.
- (5) The well activity, the well status and the date the well is placed on production must be reported on Lessee's Monthly Report of Operations, Form 9-329.
- (6) All off-lease storage, off-lease measurement, or commingling on lease or off-lease must have written approval.
- (7) All product lines entering and leaving hydrocarbon storage tanks must be locked/sealed.
- (8) You are reminded of the requirements for handling, storing, or disposing of water produced from oil and gas wells under NTL-2B.
- (9) All materials, trash, junk, debris, etc. not required for production must be removed from the well site and production facility site at the completion of these operations.
- (10) A copy of the Gas Sales Contract will be provided to this office and the Royalty Accounting Department as directed.
- (11) Construction and maintenance for surface use approved under this plan should be in accordance with the surface use standards as set forth in the BLM/GS Oil and Gas Brochure entitled, "Surface Operating Standards for Oil and Gas Exploration and Development." This includes, but is not limited to, such items as road construction and maintenance, handling of top soil and rehabilitation.
- (12) "Sundry Notice and Reports on Wells" (form 9-331) will be filed for all changes of plans and other operations in accordance with 30 CFR 221.58. Emergency approval may be obtained verbally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alternations of facilities, including roads, gathering lines, batteries, measurement facilities, etc., will require the filing of a suitable plan and prior approval by the survey.

water Ok

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF CO	MPANY:_	AMBRA O	IL & GAS			•		
WELL NAME:		Inland	Fuels 9-5	5				Nove Bargin and Commission of the Property Association
SECTION_SV	VNW 9	Township_	20S	_ RANGE_	23E	COUNTY_	GRAND	Produce garage garage constraints
DRILLING C	ONTRACTO	OR <u>st</u>	ARNER	·			·	
RIG #								
SPUDDED:	DATE	11-23-83						
	TIME	6:00 PM						
	How	Rotary						
		MENCE			-			
		nua conde			- .			
DATE	11-25	-83	· .		_SIGNED	RJF		

Form Approved. Rudget Rureau No. 42-R1424

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY** SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

UNITED STATES DEPARTMENT OF THE INTERIOR	5. LEASE
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME NA
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir, Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME NA 8. FARM OR LEASE NAME
1. oil gas other	Inland Fuels 9. WELL NO.
2. NAME OF OPÉRATOR Ambra Oil & Gas Company	9-5 10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR 84101 47 W. 200 S., Suite 510 Salt Lake City, UT	Greater Cisco Area 11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 988' FWL 1972' FNL, SW4 NW4 AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	Sec. 9, T20S R23E 12. COUNTY OR PARISH 13. STATE Grand Utah 14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	43-019-31085 15. ELEVATIONS (SHOW DF, KDB, AND WD) 4836' GR
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other) Spud Report, Change in Surface Casing	(NOTE: Report results of Editive Completion or zone change on Form 9-330.) NOV 2.8 1983 OIV OF OIL, GAS & MICH.
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is different measured and true vertical depths for all markers and zones pertinent.)	e all pertinent details, and give pertinent dates,
This well was spudded on November 23, 1983 at rotary, by Starner Drilling, Rig #3.	6:00 p.m. with an 11" hole,
The surface casing will be 7-5/8" rather than Form 9-331-C, the Application to Drill.	the 8-5/8" reported on
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereavy certify that the foregoing is true and correct SIGNED TITLE Production M	gr. _{DATE} November 25, 1983

APPROVED BY CONDITIONS OF APPROVAL, IF ANY: (This space for Federal or State office use OIL. GAS, AND

NOTICE OF S'PUD	ECENVISI
Company: ambra Oil & Das	E Gac A
Caller: Sinda Conde	1887 29 1983
Phone: 532-6640	Division of
	OiL, GAS & MINING
Well Number: Inland Fuels 9-5	
Location: SWNW Sec. 9-205-23E	
County: State: State: State	
Lease Number: <u>U-42223</u>	
Lease Expiration Date:	
Unit Name (If Applicable):	
Date & Time Spudded: 11-23-83 6:00P M	
Dry Hole Spudder Rotary	
Details of Spud (Hole, Casing, Cement, etc.)	
11" hole 7 5/8" casing	
8	
Rotary Rig Name & Number: Starner Rig #3	_
Approximate Date Rotary Moves In:	
FOLLOW WITH SUNDRY N	NOTICE
	·
Call Received By: Deane	
Date: 11-25-83	

State Oil & Las

Form 9-331 Dec. 1973

Form A	pproved	١.		
Budget	Bureau	No.	42-R14	24

UNITED STATES	Budget Bureau No. 42-R1424 5. LEASE
DEPARTMENT OF THE INTERIOR	U-42223
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME NA
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME NA
1. oil gas August Other	8. FARM OR LEASE NAME Inland Fuels
well well other 2. NAME OF OPERATOR	9. WELL NO. 9-5
Ambra Oil & Gas Company 3. ADDRESS OF OPERATOR 84101	10. FIELD OR WILDCAT NAME Greater Cisco Area
47 W. 200 S., Suite 510 Salt Lake City, UT	11. SEC., T., R., M., OR BLK, AND SHRVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	AREA Sec. 9, T2OS R23E
AT SURFACE: 988' FWL 1972' FNL, SWANWA AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	12. COUNTY OR PARISH 13. STATE Utah
5. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE	14. API NO. 43-019-31085
REPORT, OR OTHER DATA EQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF	15. ELEVATIONS (SHOW DF, KDB, AND WD) 4836 GR
ST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stating including estimated date of starting any proposed work. If well is a measured and true vertical depths for all markers and zones pertined.)	
This well went on line on May 25, 1984 and pro	oduced 16.002 Mcf in the first
24 hours.	
	RECEIVE
	JUN 6 1984
	DIVISION OF OF GAS & MINING
bsurface Safety Valve: Manu. and Type	
	Set @ Ft.
I hereby certify that the foregoing is true and correct	
I hereby certify that the foregoing is true and correct	r. DATE June 1, 1984
I hereby certify that the foregoing is true and correct	

Form 9-330 (Rev. 5-63)	: :	· LINDT	D STATES	SIIBN	MIT IN	DUPLICAT		Form
· · · · · · · · · · · · · · · · · · ·						(See other		Form approved. Budget Bureau No. 42-R355.5
	DEPAI		OF THE I		R	struction reverse s	a a= 1	ESIGNATION AND SERIAL NO
		GEOLOGI	CAL SURVE	Υ		Teverae a	U-4222	
WELL CO	OMPLETIO	N OR RECO	MPLETION	REPORT	ANI	LOG*	6. IF INDIAN	N, ALLOTTEE OR TRIBE NAME
la. TYPE OF W	ELL: 0	VELL GAS WELL						
b. TYPE OF CO		ARLL CA WELL	XX DRY	Other			NA	EEMENT NAME
WELL XX		PLUG EN BACK	DIFF. RESVR.	Other			i	LEASE NAME
2. NAME OF OPER	RATOR			Other				l Fuels
Ambra Oi	11 & Gas Co	mpany					9. WELL NO.	
3. ADDRESS OF O					·····		9-5	
47 W. 20	00 S., Suit	e 510 Sal	Lake City	, Utah 8	4101		10. FIELD AS	ND POOL, OR WILDCAT
4. LOCATION OF W	VELL (Report loca	tion clearly and in	accordance with	any State requi	rements) *		er Cisco Area
	988 FW	L 1972' FNI	., SW4 NW4				11. SEC., T., OR AREA	R., M., OR BLOCK AND SURVEY
At total depth	·	Delow					Sec. 9	, T20S R23E
At total depth	L		Υ					
			14. PERMIT N	0.	DATE IS		12. COUNTY (OR 13. STATE
5. DATE SPUDDED	16. DATE T.D.	DWA OTTON 1 4 F	143.019-	31085	8/18	3/83	Grand	Utah
11/23/83	1		TE COMPL. (Ready . 2/15/83	to prod.) 18	ELEVA	TIONS (DF, R	EB, RT, GR. ETC.)*	19. ELEV. CASINGHEAD
0. TOTAL DEPTH. MI		UG, BACK T.D., MD				836' GR		
2220			HOW	LTIPLE COMPL.	"	23. INTERVAL DRILLED		LS CABLE TOOLS
4. PRODUCING INT	ERVAL(S), OF THE	S COMPLETION-TO	P. BOTTOM, NAME	(MD AND TVD)*				25. WAS DIRECTIONAL
Morrison SURVEY MADE NO					SURVEY MADE			
6. TYPE ELECTRIC	AND OTHER LOGS	RUN					***	
		rmation Den	sity, Cemen	t Bond	JΛ	11 0 3 19	na 🐸	27. WAS WELL CORED NO
3.		CAS	ING RECORD (Re	SAMPLE PROMOTOR AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON ADDRESS OF THE PERSON AD			7.7	110
CASING SIZE	WEIGHT, LB	/FT. DEPTH S		OLE SIZE .	s set in i		NG RECORD	
7-5/8"	24#	16	2' 1	1" -	85	sox 61as		AMOUNT PULLED
4½''	1012#	221	6' KB 6	-3/4"	110			
								
).	:	LINER RECORD			3	0.	TUBING RECO	RD
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD	
						2-3/8"	1953	, , , , , , , , , , , , , , , , , , ,
. PERFORATION RE	COPD (Internal							
CLARLOW RE	coan (interval, 8	ize ana number)		32.	ACID,	SHOT, FRA	CTURE, CEMENT	SQUEEZE, ETC.
20801-210)1' 2 JSPI	2		DEPTH INT		1		OF MATERIAL USED
2000 -21(- 2 JSP1	,		NA NA				
•								
				1 .				

PRODUCTION DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Producing or shut-in) Shut-in DATE OF TEST HOURS TESTED CHOKE SIZE PROD'N. FOR OIL-BBL. GAS-MCF. WATER-BBL. GAS-OIL RATIO TEST PERIOD 12/15/83 30 min 384 FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE OIL-BBL. GAS-MCF. OIL GRAVITY-API (CORR.) WATER-BBL. 18

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented

TEST WITNESSED BY J. Kirksey

35. LIST OF ATTACHMENTS Electric Logs

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Production Mgr. TITLE

DATE December 30, 1983

or both, pursuant to applicable Federal and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments General: This form is designed for submitting a complete and correct well-completion report and log on all types of lands and leases to either a Federal agency or a State agency,

should be listed on this form, see item 35.

Consult local State Hem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. or Federal office for specific instructions.

fem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

DELTH INTERNALL INSTEAD, CORNIGON (SED), TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES									
FUKMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	ENTS, ETC.		1		TOP	<u>a.</u>
	ų.							MEAS. DEPTH	TRUE VERT. DEPTH
Mancos Snale	surrace				-				
Dakota	1652'						,		
Morrison	1868'								
TD	22201								
							· · · · · · · · ·		
							·		
-									••

Form Approved.
Budget Bureau No. 42-R142

UNITED STATES	Budget Bureau No. 42-R1424
	5. LEASE
DEPARTMENT OF THE INTERIOR	U-42223
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	NA NA
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	NA
	8. FARM OR LEASE NAME
1. oil gas	Inland Fuels
2. NAME OF OPERATOR	9. WELL NO. 9-5
=- · · · · · · · · · · · · · · · · · · ·	
Ambra 0il & Gas Company 3. ADDRESS OF OPERATOR 8/101	10. FIELD OR WILDCAT NAME Greater Cisco Area
04101	
47 W. 200 S., Suite 510 Salt Lake City, UT 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
	Sec. 9, T20S R23E
below.) 988' FWL, 1972' FNL, SW4 NW4	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL:	Grand Utah
AT TOTAL DEPTH:	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	43-019-31085
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
DEQUEST FOR ASSESSMENT	4836' GR
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	
SHOOT OR ACIDIZE	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	change on Form 9–330.)
MULTIPLE COMPLETE CHANGE ZONES	
ABANDON*	
(other) Initial 24-hour Rate	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state	all pertinent details, and give pertinent dates,
including estimated date of starting any proposed work. If well is di measured and true vertical depths for all markers and zones pertinent	
As of this date, this well is not in production	 We are waiting for pipeline
hook-up, so we cannot provide you an initial 24	-hour production rate.
m1 0/ 1	
The 24-hour rate on the Completion Report submi	tted on December 30, 1983 should
be changed to 384 Mcl.	
When this well is producing, we will submit an	
when this well is producing, we will submit an	initial 24-hour product of rate.
	AL WOOD VEIN
	UAN 19 1984
	01116 1 0 100 4
Subsurface Safety Valve: Manu. and Type	DIVESION OF Ft.
18. I hereby certify that the foregoing is true and correct	OIL, GAS & MINING
Landa (1800 da	
SIGNED TITLE Production M	gr. DATE January 18, 1984
(This space for Federal or State office	e use)
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE

Form 9-331 Dec. 1973

FOIM A	pproved	i.	
Budget	Bureau	No.	42-R142

UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	U-42223
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME NA
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME
1. oil gas well other	Inland Fuels 9. WELL NO.
2. NAME OF OPERATOR Ambra Oil & Gas Company	9–5 10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR 84101 47 W. 200 S., Suite 510 Salt Lake City, UT	Greater Cisco Area 11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	AREA Sec. 9, T20S R23E Sec. 9
AT SURFACE: 988' FWL 1972' FNL, SW4 NW4 AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	12. COUNTY OR PARISH 13. STATE Grand Utah
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	14. API NO. 43-019-31085 -
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	15. ELEVATIONS (SHOW DF, KDB, AND WD) 4836 CR
TEST WATER SHUT-OFF	(NOTE: Report resents of multiple completion or 2014 change in Forre 2-2301 0 1984 DIVISION OF ON GAS & MINING
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is a measured and true vertical depths for all markers and zones pertined	te all pertinent details, and give pertinent dates,
We request permission to lay approximately 1 the Inland Fuels 9-5 and Cisco SS 9-3 wells This proposed pipeline will span Cisco Wash a compressor located on the 9-3 location. M	located in Section 9, T20S R23E. and will connect the 9-5 well to inimum surface disturbance and
no additional road construction is anticipat	ed.
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct SIGNED TITLE Production M	gr. February 8, 1984
(This space for Federal or State off	ice use)
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE



MAY 2 2 1985

DIVISION OF OIL GAS & MINING

May 21, 1985

Am Jan Plaza III 47 West 200 South, Suite 510 Salt Lake City, Utah 84101 (801) 532-6640



DIVISION OF OIL, GAS & MINING 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Gentlemen:

Enclosed please find a Sundry Notice, in triplicate, requesting a change of Item #2.7 of the multi-point surface use plan for the Inland Fuels 9-5 gas well located in T2OS, R23E, Section 9, SW4NW4, Grand County, Utah.

If you have any questions or if you need any further information, please contact Mr. Kerry Miller at the above phone number and address.

Winterioth

Sincerely,

AMBRA OIL & GAS COMPANY

Jennifer J. Winterroth Production Clerk

/jjw

Enclosures

Form 3160-5 (November 1983) (Formerly 9-331) DEPARTMENT OF BUREAU OF LAND			ATE*	Form approve Budget Burea Expires Augu 5. LEASE DESIGNATION U-4223	u No. 1004-0135	
SUNDRY NOTICES AND (Do not use this form for proposals to drill or Use "APPLICATION FOR PE	J	6. IF INDIAN, ALLOTTEE OR TRIBE NAM				
OIL GAS THER		· · · · · · · · · · · · · · · · · · ·		7. UNIT AGREEMENT N/A	MAME	
2. NAME OF OPERATOR		8. FARM OR LEASE N	AME			
Ambra Oil & Gas Company 3. APDRESS OF OPERATOR		Inland Fue	els			
47 West 200 S		9. WELL NO.				
Salt Lake City, Ut. Location of WELL (Report location clearly and in ac		9-5 10. FIELD AND POOL,	OR WILLDON			
At surface		•		Greater C.		
988' FWL 1972' FNL	, SW\NW\		7	11. SRC., T., R., M., OR SURVEY OR ARI		
<u> </u>			1	Sec. 9, T	.20S, R. 23I	
	s (Show whether DF.	RT, GR, etc.)		12. COUNTY OR PARIS	H 13. STATE	
43-019-31085 4836	GR			Grand	Utah	
Check Appropriate Bo	x To Indicate N	ature of Notice, Rep	ort, or Oth	er Data		
NOTICE OF INTENTION TO:	-			T REPORT OF:		
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) PCLL OR ALTER OF MULTIPLE COMPI ABANDON* CHANGE PLANS		WATER SHUT-OFF FRACTURE TREATM SHOOTING OR ACID (Other) (NOTE: Repo	IZING	REPAIRING ALTERING ABANDONM multiple completion on Beport and Log fo	CABING ENT*	
Ambra Oil & Gas Company is dated August 18, 1983, for Ambra would like to change and substitute a gate for is of a limited commercial prohibitive. There is very area and our field people is	this well item #2.7 the cattle nature an y little g	of the mult: guard referent d a cattleguerazing activ	i-point nced in ard cos ity in	t surface on this iters is near this immed	use plan n. Well ly diate	
• •	· ·	· · · · · · · · · · · · · · · · · · ·	0110 0111	2002118 8400		
Federal approval of this action is required before commencing operations.	DĄ	OCEPTED BY TO OF UTAH DIVIOUS GAS, AND	ISION C)F		
,	BY	- jours	· Jus			
8. I hereby certify that the foregoing is true and correc			\int			
SIGNED STATE THE TOPEGOING IS True and correct		Air Maraga.	:	DATE May 2	20, 1985	
(This space for Federal or State office use)		<u> </u>				
APPROVED BY	TITLE	·		DATE		

*See Instructions on Reverse Side

	BUR	EAU OF LAND MAN		OR verse side)	•	U-4223	985 RIAL NO.
(Do not u	SUNDRY NO	OTICES AND REI	ORTS C	RECEIVED.		8. IF INDIAN, ALLOTTEE OR TE N/A	IBE NAME
OIL (GAS TO			AUG : 3 1985		7. UNIT AGREEMENT NAME	
NAME OF OPER				1965		N/A B. Parm or lease name	
Ambra	Oil & Gas	Company		IIVISIUN OF OIL		Inland Fuels	e de la companya de l
47 Wes		h #510 Sal		GASt& MINING 410	9	9-5	
	ELL (Report locatio	n clearly and in accordan				O. FIELD AND POOL, OR WILDO	AT
At surface						reater Cisco A	
9881	FWL, 1972	FNL, SW1/4	NW1/4			1. SHC., T., B., M., OR BLK. AND BURYDY OF AREA ec. 9, T.20 S.	
. PERMIT NO.		15. ELEVATIONS (Short)	w whether Dr. 836' Gi		. [2. COUNTY OR PARISH 13. ST	F
	Check /			ature of Notice, Repor) Osk		<u> </u>
	NOTICE OF INT		!			r Dard r espost of:	
TEST WATER S	SHUT-OFF	PULL OR ALTER CASING		WATER SHUT-OFF		and the second s	.
FRACTURE TRE	AT	MULTIPLE COMPLETE		FRACTURE TREATMENT		REPAIRING WELL ALTERING CASING	
SHOOT OR ACID	DIZE	ABANDON*	X	SHOOTING OR ACIDIZI	NG .	ABANDONMENT*	
REPAIR WELL		CHANGE PLANS		(Other)			
(Other)				t ompletion of b	Concentiation	multiple completion on Well n Report and Log form.; luding estimated date of star	
ls r	equesting	approval to	olug th	ons and low pr ne I.F. 9-5 we	oduct: 11 as	ion levels, Amb follows.	ora
ls r	equesting	approval to ping in the ho	olug thole): 1901' (ne I.F. 9-5 we	ll as	ion levels, Amb follows. 2080' to 2101'	
ls r	equesting ve the cas	approval to pring in the ho	olug thole): 1901' (ne I.F. 9-5 we	ll as	follows.	
ls r	equesting ve the cas	approval to ping in the house 2101' to 3 with 40 sa	olug thole): 1901' (acks	ne I.F. 9-5 we	ll as	follows. 2080' to 2101'	')
ls r	equesting ve the cas Plug #1	approval to ping in the house 2101' to see with 40 see 162' to see casing)	olug thole): 1901' (acks	ne I.F. 9-5 we	ll as	follows.	')
ls r	equesting ve the cas Plug #1	approval to ping in the house to a second	olug thole): 1901' (acks	ne I.F. 9-5 we	ll as	follows. 2080' to 2101'	')
ls r	equesting ve the cas Plug #1	approval to ping in the hole marked	olug thole): 1901' (acks urface acks cface (er	ne I.F. 9-5 we (producing int (between surf	ll as erval ace p	follows. 2080' to 2101'	') cion
ls r	equesting ve the cas Plug #1 Plug #2	approval to ping in the horizontal to ping in the horizontal to saint to sa	olug thole): 1901' (acks urface acks cface (er	ne I.F. 9-5 we (producing int (between surf	ll as erval ace p	follows. 2080' to 2101' ipe and product	') cion
ls r	equesting ve the cas Plug #1 Plug #2	approval to ping in the hole marked	olug thole): 1901' (acks urface acks cface (er	ne I.F. 9-5 we (producing int (between surf	ll as erval ace p	follows. 2080' to 2101' ipe and product	') cion
ls r	equesting ve the cas Plug #1 Plug #2	approval to ping in the hole marked	olug thole): 1901' (acks urface acks cface (er	ne I.F. 9-5 we (producing int (between surf	ll as erval ace p	follows. 2080' to 2101' ipe and product	') cion
ls r	equesting ve the cas Plug #1 Plug #2	approval to ping in the hole marked	olug thole): 1901' (acks urface acks cface (er	ne I.F. 9-5 we (producing int (between surf	ll as erval ace p	follows. 2080' to 2101' ipe and product	') cion
is re (Lea	equesting ve the cas Plug #1 Plug #2	approval to ping in the hole marked	olug thole): 1901' (acks urface acks cface (er	ne I.F. 9-5 we (producing int (between surf	ll as erval ace p	follows. 2080' to 2101' ipe and product	') cion
Is re (Lea	equesting ve the cas Plug #1 Plug #2	approval to ping in the hole with 40 satisfies with 40 satisfies with 40 satisfies with 10 satisfies w	olug thole): 1901' (acks urface acks rface (er	ne I.F. 9-5 we (producing int (between surf	ll as erval ace position	follows. 2080' to 2101' ipe and product casing) set dry	i)
Lear (Lear (Lear	equesting ve the cas Plug #1 Plug #2 Plug #3	approval to ping in the hole with 40 satisfies with 40 satisfies with 10 satisfies w	olug thole): 1901' (acks arface acks aface (ar	ne I.F. 9-5 we producing int (between surf	ll as erval ace position	follows. 2080' to 2101' ipe and product	i)
I hereby certises SIGNED KER	equesting ve the cas Plug #1 Plug #2	approval to ping in the hole with 40 satisfies with 40 satisfies with 10 satisfies w	olug thole): 1901' (acks arface acks aface (ar	ne I.F. 9-5 we (producing int (between surf (inside produc	ll as erval ace position of	follows. 2080' to 2101' ipe and product casing) set dry	i)
I hereby certification in the second	equesting ve the cas Plug #1 Plug #2 Plug #3	approval to ping in the hole with 40 satisfies with 40 satisfies with 40 satisfies with 10 satisfies w	olug thole): 1901' (acks arface acks aface (ar	ne I.F. 9-5 we (producing int (between surf (inside produc	ll as erval ace position of	follows. 2080' to 2101' ipe and product casing) set dry DATE August 12.	i)
I hereby certification (Lear Management of Lear Man	equesting ve the cas Plug #1 Plug #2 Plug #3 Plug #3 Plug #3	approval to ping in the horizontal to ping in the horizontal to see the see th	olug thole): 1901' (acks arface acks acks arface (er	ne I.F. 9-5 we (producing int (between surf (inside produc	erval ace position of	follows. 2080' to 2101' ipe and product casing) set dry DATE August 12. BY THE STATE I DIVISION OF	i)
I hereby certification (Lear This space for Conditions of Feder	equesting ve the cas Plug #1 Plug #2 Plug #3 Plug #3 F APPROVAL, IF IT IT IT IT IT IT IT IT IT IT IT IT IT	approval to ping in the he 2101' to 3 with 40 sa 162' to su casing) with 40 sa 50' to sur hole marke with 10 sa with 10 sa Marke with 10 sa Ma	olug thole): 1901' (acks arface acks aface (ar	ne I.F. 9-5 we (producing int (between surf (inside produc	erval ace protion of	follows. 2080' to 2101' ipe and product casing) set dry DATE August 12.	i)

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

	Well File Suspense (Return Date) (Location) Sec 9 Twp305 Rng 335 (To - Initials) (API No.) 43-019-31142	[] Other
1.	Date of Phone Call: 1/12/89 Time: 27	45 PM
2.	DOGM Employee (name) Allers S. Talked to:	(Initiated Call 12)
	Name Garol J. (Initiated Call []) - Phof (Company/Organization)	none No. <u>(/) 259-6//</u>
3.	Topic of Conversation: Re: show consusation we will went toll this well a leave is now	
	Highlights of Conversation: Lelled to Carol J.	and she
7.	paid that it booked like the 9-5 & 9.	- wells will
	soon and she had her assignments comp Carol said the leave has been changed	to First zone.)
	1/24/89 - Contacted Joney Cof of Ambra. Send in Change of operator to	

APPROVED BY CONDAIN VS OF APPROVAL, IF ANY:

STATE OF UTAH DEPARTME OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING

SUBMIT IN TRIPLICATES	
(Other instructions on	
reverse side)	

DIV	ISION TO OIL, GAS, AND MIN	ING	3. LEASE DESIGNATION AND SERIAL NO.
			U-42223
CLINIDON NA	OTICEC AND DEDONTO	N	6. IF INDIAN, ALLOTTER OR TRIME NAME
	OTICES AND REPORTS C		
(Do not use this form for pr Use "APP	oposais to drill or to deepen or plug be LICATION FOR PERMIT—" for such pro	ck to a different reservoir.	N/A
			7. UNIT AGREEMENT NAME
OIL GAS -	•		I. UNIT AUREMENT NEWS
WELL WELL X OTHE	8		N/A
. NAME OF OPERATOR			S. FARM OR LEASE NAME
Ambra Oil and Gas	Company		Inland Fuels
ADDRESS OF OPERATOR			9. WELL NO.
47 West 200 Sout	h # 510,Salt Lake City 🚻	いっていているはのはい	9–5
. LOCATION OF WELL (Report locati	on clearly and in accordance with an		10. FIELD AND FOOL, OR WILDCAT
See also space 17 below.) At surface	in the second se	0	Greater Cisco
	FWL,!(@" FNL SW4NW4	***************************************	/
	4	JAN 26 1989 C	11. SSC., T., I., M., OE BLK. AND SURVEY OR AREA
API # 43-019-31085			Gas 9 m 90 G D 92 E
	<u> </u>	DIVISION OF	Sec. 9, T.20 S,R.23 E.
4. PERMIT NO.	15. BLEVATIONS (Show whether of,	AT. THE GAS & MINING	12. COUNTY OR PARISH 18. STATE
	4836'GR	ore, and a minimo	Grand Utah
4			
6. Check	Appropriate Box To Indicate No	sture of Notice, Report, or	Other Data
NOTICE OF I	MTENTION TO:	AUBER	QUENT REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOUTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL	CHANGE PLANS	(Other) Change Ope	
	CHAPGE FLANS		its of multiple completion on Well
(Other)		Completion or Recon	ipietion Report and Log form.)
 DESCRIBE PROPOSED OR COMPLETED proposed work. If well is dir 	OPERATIONS (Clearly state all pertinent rectionally drilled, give subsurface locati	details, and give pertinent date ons and measured and true vert	es, including estimated date of starting any ical depths for all markers and zones perti
nent to this work.)			2
			. •
Ambr	a Oil and Gas Company ha	s relinquished it's	operating
rights	in the above noted well	in favor of First Z	one Production
of Salt	Lake City, Utah, effectiv	e June 1988.This sur	ndry notice
was for	warded and approved with	supporting document	tation to the
Was 101	maraca and approved wron	capper ting document	cauton to the
DIM Mon	th We are comment that a co	wer to the oteta was	not formanded
DLIVI—IVIO	ab.We are sorry that a co	py to the state was	not forwarded
. .	. •	•	
at that	time.		
			•
			•
•			•
		•	
	:		•
		_	
	:	•	<i>;</i>
18. I hereby certify that the forego	1	• •	4 100 100
SIGNED	TITLE Pr	esident	PATE 1/25/89

Moab District P. O. Box 970 Moab, Utah 24532

eff. 1/24/91 JAN 24 1991 3152 (U-03759*FZP) (U-15962A) (U-19037) (U-20553A) (U-22683) (U-31262) (U-31738) (U-39499*FZP) (U-42223*FZP) (U-6791) (U-665)

Ir. R. Garry Carlson
Petro-X Corporation
970 East 33CO South, Suite 9
Salt Lake City, Utan 84106

Re: Change of Operator from First Zone Production, Inc. to Petro-X Corporation Dear Hr. Carlson:

Fe have reviewed your request to assume operatorship of all Hoab District wells held by First Zone Production. Inc. The 3LM, Utah State Office has advised us that a bond in the name of Petro-X has been accepted. We have no objection to this request, and we offer this letter as our approval.

If you should have any questions, please call Eric Jones at (801) 259-5111.

Sincerely yours,

/S/ WILLIAM C. STRINGER

Assistant District Hanager, Mineral Resources

cc: U-068 U-942

bcc:
Wang Maintenance, Freudiger (delete)

EJones:py 1/23/91 Wang #2897f

RECEIVED

DIVISION OF OIL GAS & MINING Utah State Office
P. O. Box 45155
Salt Lake City, Utah 84145-0155

3104 (U-942)

JAN 14 1991

DECISION

Petro-X Corporation : \$25,000 Statewide 970 East 3300 South, S-9 : 011 and Gas Bond Salt Lake City, Utah 84106 :

Statewide Personal Cash Bond Accepted First Zone Production's \$25,000 Personal Bond Terminated

On January 7, 1991, the Moab and Vernal Districts approved a change of operator from First Zone Production to Petro-X Corporation (Petro-X) on all leases operated by First Zone Production.

First Zone Production has authorized this office to transfer the cash proceeds from its bond to Petro-X as soon as the change of operator is approved. This change was approved January 7, 1991, a proper bond form has been filed by Petro-X, and the bond is accepted effective January 7, 1991.

The funds will be retained in a suspense account until all terms and conditions of the leases have been fulfilled or until satisfactory replacement bond coverage has been accepted.

The bond constitutes coverage of all operations conducted by or on behalf of Petro-X on Federal oil and gas leases in the State of Utah where Petro-X has interest in, and/or responsibility for operations on, leases issued under the authority of any of the Acts cited on the bond form. Please note that Federal leases do not include Indian leases.

The period of liability on First Zone Production's bond is terminated effective January 7, 1991.

/s/ ROBERT LOPEZ

Chief, Hinerals Adjudication Section

cc: All District Offices U-920 (Al McKee)

PETRO - X CORPORATION

970 East 3300 South Suite #9 Salt Lake City, Utah 84106 Telephone: 801-467-7171



DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT UTAH STATE OFFICE 324 SOUTH STATE STREET SUITE 301 SALT LAKE CITY, UTAH 84111-1203

ATTN: MS. IRENE J. ANDERSON LAND LAW EXAMINER

JANUARY 4, 1991

RE: SELF CERTIFICATION

GENTLEMEN:

BE ADVISED THAT INSOFAR AS PETRO-X CORPORATION IS CONCERNED, PETRO-X CORPORATION WILL PERFORM OPERATIONS ON THE WELLS AND THE LEASES CONVEYED IN ACCORDANCE WITH THE TERMS AND CONDITIONS AS SET FORTH ON THE FEDERAL LEASES INVOLVED.

THE BOND COVERAGE FOR THESE WELLS WILL BE PROVIDED FOR BY A \$25,000.00 CASH BOND ON FILE WITH THE UTAH STATE OFFICE, WHICH WILL HOLD THE AFOREMENTIONED OPERATOR AND BOND LIABLE UNDER THE PROVISIONS OF 43 CFR 3106. 7-2 FOR THOSE CONTINUING RESPONSIBILITIES AND OPERATIONS.

RESPECTFULLY SUBMITTED,

PETRO-X CORPORATION

R. GARRY CA

PRESIDENT

ATTEST:

DEAN H. CHRISTENSEN, SECRETARY

CC: VERNAL DISTRICT MOAB DISTRICT

FIRST ZONE PRODUCTION, INC

RECEIVED

DIVISION OF OIL GAS & MINING

PETRO - X CORPORATION

970 East 3300 South Suite #9 Salt Lake City, Utah 84106

Telephone: 801-467-7171



BUREAU OF LAND MANAGEMENT MOAB DISTRICT OFFICE P. O. BOX 970 MOAB, UTAH 84532

JANUARY 4, 1991

RE: CHANGE OF OPERATOR

GENTLEMEN:

YOUR OFFICE IS HEREWITH NOTIFIED THAT PETRO-X CORPORATION IS TAKING OVER AS THE OPERATOR FOR ALL OF THE PROPERTIES HERETOFORE OPERATED BY FIRST ZONE PRODUCTION.

A LIST OF THE LEASES AND WELLS IS HEREWITH ATTACHED. THIS DOCUMENT WAS GENERATED BY THE UTAH STATE OFFICE.

ADDITIONALLY, YOUR OFFICE IS DIRECTED TO CONTACT MS. IRENE J. ANDERSON, LAND LAW EXAMINER, AT THE UTAH STATE OFFICE, 539-4108 OR FTS 581-4108, CONCERNING THE BONDING OF PETRO-X CORPORATION.

SINCERELY,

R. GARRY CARLSON

PRESIDENT

CC: FIRST ZONE PRODUCTION, INC.

CCCo

UTAH STATE OFFICE

DIVISION OF OIL GAS & MINING

(UTU42601		1	P+A	27\$	24E	15	NMNM,
	Petro. X Corp	opproved 112	94/41	and the state of t	A STATE OF THE PARTY AND ASSOCIATE OF THE STATE OF THE ST	and the time the time the time the time and the time time the time time time.		
Ambra Fo 4-1-88	FZ FIRST ZONE PROD			on GSI consider a consideration of the second	-20S	« 23E ». »» « « « »	3 ,,	SWSW
¢ _	UTU42223*FZP	43-019-31142	9-6 +	og GSI en amaerik eta e Gegsie S G W	205	23E 23F	9	NESW SWNW
~	UTU39499*EZP	43-019-30513	1	_GSI ** ***	20S	21E	27_	NENE
e —	UTU31738	43-019-31037 43-019-30603	1-3	'GSI	20S	21E		SWSW
	·	43-019-305ldo	1-2 1-1	GSI POW	20S _20S	21E 21E	. 1 1_	SESW
@	UTU31262	43-019-31258		GSIA	21S 21S	23E 23E	9 9	SENW SENE
@	UTU22683	43-019-30151	18	g PGW wwggenger in this	205	, 23E,	31	NWSE.:
	UTU20563A	43-019-31025	4-1, 4, 1, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	outh en an annument en trous	,215	. 28Eggyar y proprioring accidentation	4.	_SWSW 🎍 .
	UTU19037	43-019-31015	7:	GSI OSI	20S 20S	23E 23E	3	SWSE SESW
6		43-0 19-30864	2 /3/2/2004	u POW was count to a ye	205	23E	3	SESW
<i>(</i> **	UTU14962A	43-019-31284	22-3 22-1-0S	DRG	21S 21S	23E 23E	22 22	SENW :
		43-019-31283	22-1-11molo 22-1-1	ઝ 0SI <i>bℓ£</i>	21S 21S	23E 23E	22 22	SENW SENW
~	UTU03759*FZP	43-019-30159	22 JU-7A			23E 23E	11	SWNW NWNE
P	43-019-20416	43-019-30325 43-019-30141 ECELVAS	√ V−10	PGW ::: (Colored Colored Color	21S 21S	23E 23E	5 4	NWNE -
	43-019-30127	Bonn G	V-8A V-5	GSI	215	23E	10	NMNM
•	hard hard fibre hard hard hard hard hard hard hard hard	MAR .1 .1 1991		, mets dens ment met met met met met met met met met me				
<u> </u>	FL ENE CORP UTU44320	DIVISION OF	1-8	GSI	215	07E	8	NENE
₹	UTU18125 C	OIL GAS & MINING	14-27	GSI	17S	08E	27	SESW
e	UTU16172		1-34	GSI	158	09E	34	NENE
e	FOSSIL FUELS INC	*						
	UTU49928		1-4	P+A	205	7E	4	SENW ,
e .			, 1					

	of Oil, Gas a OR CHANGE H					4	L		Routin	
•			by the division	-	_	able.				\$D (3/
XXChan] Desi	ge of Opera gnation of (tor (well Operator	sold)	□ Desi □ Oper	gnation of ator Name (Agent Change (Only		5- RW 6- LC	M N
The op	erator of th	he well(s) listed belo	ow has chai	nged (EFFEC	TIVE DA	TE:1	-24-91)	
ſO (ne¹		1709 S. SALT LAK DEAN CHR phone (8	CORPORATION WEST TEMPLE E CITY, UT 8 ISTENSEN 01) 467-7171 noN 0715	34115 L	ROM (former	operat (addre	255) <u>170</u> S <u>AL</u> DEA pho	9 S. WE T LAKE N CHRIS	PRODUCT ST TEMPL CITY,UT TENSEN 1) 467-7 D. N 32	E 84115 171
) (attach addi		if needed):							
Name: Name: Name: Name: Name:			API:	En En En En	tity: tity: tity: tity: titv:	Sec Sec Sec Sec	Twp _Twp _Twp _Twp	_Rng _Rng _Rng _Rng	Lease Ty Lease Ty Lease Ty	/pe: /pe: /pe:
PERAT	OR CHANGE DO	OCUMENTAT	TON			•				
,	(Rule R615	5-8-10) S	undry or ot this form).	her <u>legal</u> (Bhm Approva	documenta Ĵ)	tion ha	as beei	ı recei	ved fro	m <u>former</u>
<u>N/A</u> 2.	(Rule R615- (Attach to	-8-10) Su this for	ndry or othe m). (<i>Btm Appro</i>	r <u>legal</u> do	cumentation	n has b	een red	e i ved f	rom <u>new</u>	operator
	yes, show	any wells	ommerce has in Utah. ile number: _	ıs company	cted if the registere	e new o d with	perator the st	above ate?	is not (es/no) _	currently If
Let 4.	(attach Te	erepnone ection of	deral Hells Documentatio this form. place prior	n Form to Manageme	o this rep ent review	ort). of Fed	Make eral a	note of nd Indi	BLM s	tatus in
ef 5.	Changes hav	ve been e ve. (<i>3-18-91</i>	ntered in th)	e Oil and	Gas Informa	ation S	ystem (Wang/IE	M) for e	each well
<u>ef</u> 6.	Cardex file	e has beer	n updated for	r each wel	l listed ab	ove.				
<u>la:</u> 7.	Well file 1	labels ha	ve been upda	ted for ead	ch well lis	ted abo	ve.			
<u>el</u> 8.	Changes hav	ve been i bution to	ncluded on t State Lands	the monthly and the Ta	/ "Operator ax Commissi	on. ₍₃₋₁₈	ess, an 3-917	d Accou	nt Chang	jes" memo
CR 9.	A folder had placed them	as been s re for re	et up for th ference duri	ne Operaton ng routing	Change fi and proces	le, and sing of	d a cop the o	y of th iginal	is page document	has been ts.

NATOR CHANGE HORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.	• '
TITY REVIEW	
Pl. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. We entity changes made? (yes no) <u>No</u> (If entity assignments were changed, attach <u>copies</u> Form 6, Entity Action Form).	re of
/ /12. State Lands and the Tax Commission have been notified through normal procedures entity changes.	of
D VERIFICATION (Fee wells only)	
Al. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond.	ã
A2. A copy of this form has been placed in the new and former operators' bond files.	
A3. The former operator has requested a release of liability from their bond (yes/no)	-· er
SE INTEREST OHNER NOTIFICATION RESPONSIBILITY	
(A) (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has be notified by letter dated	3 V
15. Copies of documents have been sent to State Lands for changes involving State leases.	
MING	=
1. All attachments to this form have been microfilmed. Date: Morel 26 199/	_, ,!
ING	
H. Copies of all attachments to this form have been filed in each well file.	
PG. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.)r
MENTS	=
910312 BAm approved eff. 1-24-91. (see a Hacked)	
	_
	P
1/34-35	

STATE UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

_	· •
	6. Lease Designation and Serial Number
	7. Indian Allottee or Tribe Name
	NA
lle.	8. Unit or Communitization Agreement
	NA
	9. Well Name and Number Inland Fuels 9-5
	10. API Well Number
	4301931085
	11. Field and Pool, or Wildcat
	Greate Cisco Srea
unty	: Grand
te	: UTAH
n.	

	7. Indian Allottee or Tribe Name
SUNDRY NOTICES AND REPORTS OF	***************************************
Use APPLICATION FOR PERMIT— for such propose	alla .
	N/A
1. Type of Well Oil Sas Other (specify) Well	9. Well Name and Number Inland Fuels 9-5
2. Name of Operator	10. API Well Number
3. Address of Operator	4. Telephone Number 11. Field and Pool, or Wildcat
1709 South West Tengle, SC, UT 84/1/5	467-7171 Greater Cisco Srea
Footage : QQ, Sec, T., R., M. : SEC 9 7205 R 238	County: Grand State: UTAH
12 CHECK APPROPRIATE BOXES TO INDICATE NA	
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)
Abandonment New Construction	Abandonment * New Construction
Casing Repair Pull or Alter Casing	Casing Repair Pull or Alter Casing
☐ Change of Plans ☐ Recompletion ☐ Shoot or Acidize	☐ Change of Plans ☐ Shoot or Acidize ☐ Conversion to Injection ☐ Vent or Flare
Fracture Treat	Fracture Treat Water Shut-Off
☐ Multiple Completion ☐ Water Shut-Off	Other Annual States report
Other	
Assessments Date Mark Mill Obest	Date of Work Completion
Approximate Date Work Will Start	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
	Must be accompanied by a cement verification report.
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertin locations and measured and true vertical depths for all markers and zones pertin	eent to this work.)
This report is being filed in a	orgunice with Utah Administrative
This report is being filed in a R-615-8-10 for submission of A	unual reports. The above somes
well is that in. It is short in	1
and the late of the late of	because there is not a
to cistribute the gas. T	is tuture, done for this well
gas line to distribute the gas. To cinclude to work the well over	and build a gas line.
しょさん 蝶手 とっといめい	· War to the contract of the c
FEB:	1 8 1972

14. I hereby certify that the foregoing is true and correct

ON GAG & MMANG

DIVISION OF OIL, GAS AND MINING

DIVISION OF OIL, GAS AND MINING				
			5, Lease Designation and Serial Number: V - 42223	
SUNDRY	SUNDRY NOTICES AND REPORTS ON WELLS			
Do not use this form for propo Use APPLI	7. Unit Agreement Name:			
1. Type of Well: OIL GAS	OTHER:		8. Well Name and Number:	
2. Name of Operator:			9, API Well Number:	
PETRO-X	CORPORATION		43-019 31085	
3. Address and Telephone Number:			10. Field and Pool, or Wildcat:	
1709 SOUTH	WEST TEMPLE, SLC, U	T 84115 467-7171	GR. CISCO	
4. Location of Well				
Footages:			County: GRAND UTAH	
QQ, Sec.,T.,R.,M.: SEC 9	T205 RZZE		State: UTAH	
	PRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPO	ORT, OR OTHER DATA	
NOTIC	E OF INTENT	SUBSE	EQUENT REPORT	
(Sub-	nit in Dup licate)	(Submi	it Original Form Only)	
☐ Abandonment	☐ New Construction	☐ Abandonment *	□ New Construction	
Casing Repair	Pull or Alter Casing	☐ Casing Repair	☐ Pull or Alter Casing	
☐ Change of Plans	☐ Recompletion	☐ Change of Plans	☐ Shoot or Acidize	
☐ Conversion to Injection	☐ Shoot or Acidize	☐ Conversion to Injection	☐ Vent or Flare	
☐ Fracture Treat	☐ Vent or Flare	☐ Fracture Treat	☐ Water Shut-Off	
☐ Multiple Completion	☐ Water Shut-Off	☐ Other		
	DATED KEDDRT - STATE	<i>2</i> 5		
Of Shutin h	PELL	Date of work completion		
Approximate date work will start		Report results of Multiple Completions	and Recompletions to different reservoirs on WELL	
		COMPLETION OR RECOMPLETION AN * Must be accompanied by a cement veri		
		widst be accompanied by a cement ven	incauon report.	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)				
THIS WELL IS CURRENTLY SHUTIN. NO PIPELINE EXISTS TO THIS WELL AND WILL BE NECESSARY TO PLACE INTO OPERATION. NO GAS CONTRACT EXISTS FOR THIS WELL. THIS WELL TO REMAIN IN A SHUTIN STATUS UNTIL A				
PIPELINE RIGHT OF WAY AND A GAS CONTRACT IS SECURED.				

(This space for State use only)

BECRIALE

SECRETARY

1/10/93

JAN 0 5 1993

DIVISION OF OIL GAS & MINING

13.

Form 3160-5 (June 1990)
Do not us
Type of Well Oil Well Name of Op

m 3160-5 UNITED STATES 1e 1990) DEPARTMENT OF THE INTERIOR			
BUREAU OF LAND MANAGEMENT			
n for proposals to drill	or to deepen or reentry to a different reservoir.	6. If Indian, Allottee or Tribe Name	
SUBMIT I	IN TRIPLICATE	7. If Unit or CA, Agreement Designation	
Other		8. Well Name and No.	
RESOURCES, IN	C. TEXAS 75075 214-516-0246	111.4ND FURI.9-6 9.481 Well No 3 1 1 4 2. 43-019-330864	
Sec., T., R., M., or Survey Desc	cription)	10. Field and Pool, or Exploratory Area GR CISCO 11. County or Parish, State GRAND, UT	
PPROPRIATE BOX(s)	TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA	
IBMISSION	TYPE OF ACTION	1	
Report donment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well	
	DEPARTMENT BUREAU OF LA SUNDRY NOTICES A for proposals to drill "APPLICATION FOR SUBMIT Other RESOURCES, IN STRIDGE, PLANC Sec., T., R., M., or Survey Des I 9, T20S, R23 PPROPRIATE BOX(S) BMISSION Itent Report	DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS In for proposals to drill or to deepen or reentry to a different reservoir. "APPLICATION FOR PERMIT—" for such proposals SUBMIT IN TRIPLICATE Other RESOURCES, INC. STRIDGE, PLANO, TEXAS 75075 214-516-0246 Sec., T., R., M., or Survey Description) 1 9, T20S, R23E PROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT Abandonment Report Abandonment Report Recompletion Plugging Back Casing Repair Altering Casing	

SATURN RESOURCES, INC., ASSUMES THE RESPONSIBILITIES AS OPERATOR OF WELL NUMBERS INLAND FUELS 9-5 AND INLAND FUELS 9-6, LEASE NUMBER UTU-42223, LOCATED IN SECTION 9, T20S, R23E, GRAND COUNTY, UTAH, AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR ALL OPERATIONS CONDUCTED ON THESE LEASED LANDS.

BOND COVERAGE IS PROVIDED BY BOND NUMBER UT-0841.



SEP 0 1 1993

AUG 1993 Received BLM Moab District

	DIVISION OF OIL, GAS & MINING	
4. I hereby certify that the foregoing is true and correct Signed	Title PRESIDENT	Date
Approved by Conditions of approval, if any:	Associate District Manager	Date 8/25/93

CONDITIONS OF APPROVAL ATTACHES

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Saturn Resources, Corporation, Well No. 9-6 EM-5 (Verified w/84m 9-243) for Sec. 9, T. 20 S., R. 23 E. Grand County, Utah Lease U-42223

Inland Fuels 9.-5 43-019-31085

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Saturn Resources Corporation is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT0841 (Principle - Saturn Resources Corporation) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

DIVISION OF OIL, GAS AND MINING

	VIOLOTO OIL, WIO 7 IND INITIAL	.		
			5. Lease Designation and Serial Number:	
SUNDRY N	OTICES AND REPORTS	N WELLS	6. If Indian, Allottee or Tribe Name:	
Do not use this form for proposal Use APPLICA	s to drill new wells, deepen existing wells, or to reente	or plugged and abandonia wats.	7. Unit Agreement Name:	
1. Type of Well: OIL GAS	OTHER:	DIVISION OF	8. Well Name and Number:	
2. Name of Operator: PETRO-X CORP	ORATION	" GAS & MINING	9. API Well Number:	
3. Address and Pelephone Number 52	0205, SLC, UT 84152-0	205 467-7171	10. Field and Pool, or Wildcat: GR CTSCO	
4. Location of Well			GR CIDE	
Footages:		,	County: GRAND	
QQ, Sec.,T.,R.,M.:	*	s.	State:	
11. CHECK APPROP	RIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR		
NOTICE	OF INTENT	SUBSEQU	JENT REPORT	
(Submit	in Duplicate)	(Submit Or	riginal Form Only)	
☐ Abandonment	☐ New Construction	☐ Abandonment *	☐ New Construction	
Casing Repair	☐ Pull or Alter Casing	☐ Casing Repair	☐ Pull or Alter Casing	
☐ Change of Plans	☐ Recompletion	☐ Change of Plans	☐ Shoot or Acidize	
☐ Conversion to Injection	☐ Shoot or Acidize	☐ Conversion to Injection	☐ Vent or Flare	
☐ Fracture Treat	☐ Vent or Flare	☐ Fracture Treat	☐ Water Shut-Off	
☐ Multiple Completion	☐ Water Shut-Off	Other		
Other CHANCE	OF OPERATOR			
		Date of work completion	2	
Approximate date work will start _		Report results of Multiple Completions and COMPLETION OR RECOMPLETION AND L	d Recompletions to different reservoirs on WELL	
•		* Must be accompanied by a cement verifical		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) PETRO-X CORPORATION IS NO LONGER THE OPERATOR FOR THE FOLLOWING SIX (6) WELLS WHICH ARE DESIGNATED AS FOLLOWS:				
	MUSTANG 3-1	API # 43-019-31128	Sec. 3, 7205, R23E	
	ADAMS 2-027	API # 43-019-30864	Sec 3, 7205, Kd5k_	
	ADAMS 3-037	API # 43-019-30992	Sec 3, T205, R23E	
	ADAMS 7-037	API # 43-019-31015	Sec 3, T205, R23 E 2 Sec 9, T205, R23 E	
	INLAND FUELS 9-5	API # 43-019-31142 API # 43-019-31085	Sec 9, T205, R 23E	
	RESOURCES CORP HAS AS			
WELLS AS OF	16 AUGUST, 1993		2	
Name & Signature: \(\sum \)	Allut	Title: PRESIDEN	Date Shalf 93	

(This space for State use only)


PETRO- X CORPORATION

P.O. Box 520205

Salt Lake City, Utah 84152-0205

Telephone: 801-467-7171

Fax: 467-7193



DIVISION OF OIL, GAS & MINIMO

DIVISION OF OIL, GAS, AND MINING 350 WEST NORTH TEMPLE, S-355 SALT LAKE CITY, UTAH 84180-1203


ATTN: MS. VICKIE CARNEY

PRODUCTION RECORDS

AUGUST 24, 1993

RE: CHANGE OF OEPRATOR

NOTICE



ATTACHED PLEASE FIND THE MONTHLY OIL AND GAS PRODUCTION REPORTS AND THE MONTHLY DISPOSITION REPORTS FOR PETRO-X CORPORATION AND CCCo.

PLEASE NOTE THE FOLLWOING WELLS HAVE BEEN TRANSFERRED TO DIFFERENT OPERATORS, AND THE APPROPRIATE NOTICES HAVE BEEN FILED WITH THE BUREAU OFLAND MANAGEMENT, MOAB DISTRICT, AND VERNAL DISTRICTS. THESE CHANGES ARE AS FOLLOWS:

OPERATOR	WELL NAME	API NUMBER
SATURN RESOURCES CORP.	MUSTANG 3-1 FEDERAL 2-037 FEDERAL 3-037 FEDERAL 7-037 INLAND FUELS 9-5 INLAND FUELS 9-6	43-019-31128 43-019-30864 43-019-30992 43-019-31015 43-019-31085 43-019-31142
MAR/REG OIL COMPANY BRENNE	BULL CANYON 1-1 BULL CANYON 1-3 STATE 2-20-21-2 BULL CANYON 1-2 FEDERAL 5-21 FEDERAL 2-20 N FEDERAL 15-8	43-019-30566 43-019-31037 43-019-30699 43-019-30603 43-047-31341 43-047-31275 43-047-31272
AMBRA OIL AND GAS COMPANY	TUMBLEWEED #1	43-019-30513

PAGE 2 CHANGE OF OPERATOR

THANK YOU FOR YOUR ASSISTANCE WITH THESE CHANGES FOR NEXT MONTHS REPORTS.

SINCERELY

EAN H. CHRISTENSEN

PRESIDENT

Division of Oil, Gas and Mining OPERATOR CHANGE HORKSHEET Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.	Routing: 1-1-1-2-7-SJ 2-DTS-8-FILE 3-VLC
CXXXChange of Operator (well sold) □ Designation of Agent □ Designation of Operator □ Operator Name Change Only	4-RJF; 1 5-LECTO 6-PL
The operator of the well(s) listed below has changed (EFFECTIVE DATE: 8-16-93)
R. LYNN DEMPSEY, VP DEAN CHRIS	205 CITY, UT 84152 TENSEN) 467-7171
Hell(s) (attach additional page if needed):	
Name: FEDERAL 2-037/MRSN API: 43-019-30864 Entity: 250 Sec 3 Twp 20SRng 23E Name: FEDERAL 3-037/MRSN API: 43-019-30992 Entity: 250 Sec 3 Twp 20SRng 23E Name: FEDERAL 7-037/DKTA API: 43-019-31015 Entity: 250 Sec 3 Twp 20SRng 23E Name: INLAND FUELS 9-6/MRSN API: 43-019-31142 Entity: 8218 Sec 9 Twp 20SRng 23E Name: MUSTANG 3-1/MRSN API: 43-019-31085 Entity: 8218 Sec 9 Twp 20SRng 23E Name: MUSTANG 3-1/MRSN API: 43-019-31128 Entity: 9860 Sec 3 Twp 20SRng 23E Name: Entity: Sec 3 Twp Rng Sec 3 Twp 20SRng 23E	Lease Type: <u>U-190</u> 37 Lease Type: <u>U-190</u> 37 Lease Type: <u>U-422</u> 23 Lease Type: <u>U-422</u> 23 Lease Type: <u>U-679</u> 1
OPERATOR CHANGE DOCUMENTATION Lec 1. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received operator (Attach to this form). (Reg. 9-3-93) (Red 19-8-93)	
<u>'kc</u> 2. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received f (Attach to this form). (ke/d 9-1-93)	rom <u>new</u> operator
3. The Department of Commerce has been contacted if the new operator above operating any wells in Utah. Is company registered with the state? (y yes, show company file number:	es/no) If
4. (For Indian and Federal Hells ONLY) The BLM has been contacted regard (attach Telephone Documentation Form to this report). Make note of comments section of this form. Management review of Federal and India changes should take place prior to completion of steps 5 through 9 below.	an well operator
5. Changes have been entered in the Oil and Gas Information System (Wang/IB listed above. (9.10.43)	M) for each well
6. Cardex file has been updated for each well listed above. (9-10-92)	
<u>182</u> 7. Well file labels have been updated for each well listed above. (9-10-13)	
8. Changes have been included on the monthly "Operator, Address, and Accou for distribution to State Lands and the Tax Commission. (9-16-92)	
9. A folder has been set up for the Operator Change file, and a copy of the placed there for reference during routing and processing of the original	is page has been documents.

E71/34-35

Division of Oil, Gas and Mining OPERATOR CHANGE HORKSHEET	Routing:
Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.	2-DP\$ 8-FILE 3-VLC 4-RJF _i ,
©XXXChange of Operator (well sold) □ Designation of Agent □ Designation of Operator □ Operator Name Change Only	5-LEGOL 6-PL
The operator of the well(s) listed below has changed (EFFECTIVE DATE: $8-16-93$)
R. LYNN DEMPSEY, VP phone (303) 243-8418 phone (80	0205 CITY, UT 84152
Well(s) (attach additional page if needed):	
Name: FEDERAL 3-037/MRSN API: 43-019-30992 Entity: 250 Sec 3 Twp 205Rng 23E	Lease Type: <u>U-42223</u> Lease Type: <u>U-679</u> 1
OPERATOR CHANGE DOCUMENTATION	
1. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been recei operator (Attach to this form). (Reg. 9-3-93) (Rev. 1.9-8-93)	ved from <u>former</u>
(Attach to this form). (Ledd 9-1-93)	rom <u>new</u> operator
3. The Department of Commerce has been contacted if the new operator above operating any wells in Utah. Is company registered with the state? (yyes, show company file number:	ves/no) If
4. (For Indian and Federal Hells ONLY) The BLM has been contacted regar (attach Telephone Documentation Form to this report). Make note or comments section of this form. Management review of Federal and Indichanges should take place prior to completion of steps 5 through 9 below	an well operator
5. Changes have been entered in the Oil and Gas Information System (Wang/II listed above. (9.10.93)	BM) for each well
Le 6. Cardex file has been updated for each well listed above. (9-10-92)	
7. Well file labels have been updated for each well listed above. $(9-10-93)$	
8. Changes have been included on the monthly "Operator, Address, and According for distribution to State Lands and the Tax Commission. (9-10-92)	
9. A folder has been set up for the Operator Change file, and a copy of the placed there for reference during routing and processing of the original	nis page has been documents.

ERATOR CHANGE WORKSHEET (CONTINUED) Inicial each item when completed. Write N/A item is not applicable.
NTITY REVIEW
(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/ho) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
OND VERIFICATION (Fee wells only)
1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
EASE INTEREST OHNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases .
ILMING
1. All attachments to this form have been microfilmed. Date: 10.6 1993.
ļling
U 1. Copies of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
OMMENTS 930910 6/m/Mouh Approved 8-25-93.

- HACE 1-88 THO 8:28 WORR I KILL OLLICE - THE MOY COLOR	1100
Form 31:0-5 (November 1983) (Formwily 9-331) DEPARTMENT OF THE INTERIOR verse side) BUREAU OF LAND MANAGEMENT	Form approved. Budget Bureau No. 1004-0135 Expires August 31, 1985 5. LEARE DESCONATION AND SERVAL NO. (1444223
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plus back to a different revervoir. Use "APPLICATION FOR PERMIT—" for such proposals.]	6. IF THOTAN, ALLOTTEE OR TRIBE HAME
OIL CAR OTHER	Tederal
Falcon Energy LLC. 8. ADDRESS OF OPERATOR	9-3 9-5- 9-6 8. WELL NO.
510 W, 3560 S, SLC UL, 84115 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)	43-019-31048-31085-31142
Set also space 17 below.) T205 R23 E Ste 9.	asia Springs
9-3 SE/N/W 9-55W/NW 9-6 NE/SW	T205 R23 E Sec 9.
14. PERMIT NO 18. TERVATIONS (Show whether DF, RT. CR, etc.)	Than d U
Check Appropriate Box To Indicate Nature of Notice, Report, or	Other Data
POTICE OF INTENTION TO:	QUENT REFORM OF:
TEST WATER SEUT-OFF FRACTURE TREAT MULTIPLE COMPLETE SHOOT OR ACIDIZE METALR WELL CHANGE PLANS (Other) MATER SHUT-OFF FRACTURE TREATMENT SHOOT/RE OR ACIDIZING (Other) Commission or Report Frequency Commission or Report	te of multiple completion on Well pletion Report and Log form.)
The scales unprosed on conflicted presentions (Clearly state all pertions details, and give pertinent date proposed work. If well is directionally drilled give subsurface locations and measured and crue vertinent to this work.) CHANGE OF OPERATOR Falcon Energy LLC is taking over operations of the ab Falcon Energy LLC is responsible under the terms and	s, including estimated date of starting any cal depths for all markers and somes perti-
Falcon Energy LLC is responsible under the terms and lease for operations conducted on the leased lands or por	conditions of the tions thereof.
Bond coverage for this well will be provided by BLM Bond	No. UT 1049
DECE) AUG 2 2 DIV. OF OIL, GA	
81GNED Wayne Or Street TITLE Prod. Manager	DATE Aug. 1 1996
Assistant Field Manager, CONDITIONS OF APPROVAL IF ANT: CONDITIONS OF APPROVAL IF ANT:	DATE
CONDITIONS OF TENESOME TO THE THE CONDITIONS OF TENESOME BLACK TO THE THE CONDITIONS OF THE THE THE THREE TH	ACHED

*See Instructions on Reverse Side

Falcon Energy, L.L.C Well No. Federal 9-3, 9-5, 9-4 Sec. 9, T. 20 S., R. 23 E. Emery County, Utah Lease UTU42223

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Falcon Energy, L.L.C. is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased land.

Bond coverage for this well is provided by BLM Bond UT1049 (Principle - Falcon Energy, L.L.C.) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

-	•			
Division	of Oil,	Gas	and	Mining

OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.

Routing:	
1-1-60	6-45
2-GLH	7-KDR
3-DTS 015	8-SJ V
4-VLD	9-FILE
5-RIF	

	T Transfer		5-RJF	
	ange of Operator (well sold) ☐ Designation of Agent ☐ Operator ☐ Operator Name Change	Only		
The ope	erator of the well(s) listed below has changed, effective: 8-1-96	5		
	w operator) FALCON ENERGY LLC FROM: (old operator) (address) 510 w 3560 S (address) SALT LAKE CITY UT 84115 WAYNE STOUT Phone: (801)269-0701/DOUG POWELSON Account no. N6710 S) attach additional page if needed:	PO BOTHOMI LYNN Phone	RN RESOURCES DX 40008 PSON SPRING U DEMPSEY E: Int no. N1090	
Name: <u>T</u> Name: <u>C</u> Name: <u>I</u>	XO SPRINGS 9-1/MRSN API: 43-019-30713 Entity: 2255 S ISCO SS 9-3/BRBSN API: 43-019-31048 Entity: 11809 S	9 T 20S 9 T 20S	R 23E Lease: R 23E Lease: R 23E Lease: R 23E Lease: R Lease: R Lease: R Lease: R Lease:	UTU44440 UTU42223
OPERA'	TOR CHANGE DOCUMENTATION			
$\frac{\cancel{X}}{\cancel{Lic}}$ 1.	(r649-8-10) Sundry or other legal documentation has been received (attach to this form). * Une ble to locate. (r649-8-10) Sundry or other legal documentation has been received to this form). (feel 8-22-92)			
<u>N/A</u> 3.	The Department of Commerce has been contacted if the new operany wells in Utah. Is the company registered with the state? (file number:	erator above yes/no)	is not currentl If yes, sho	y operating w company
<u>Lc</u> 4.	FOR INDIAN AND FEDERAL WELLS ONLY. The BLM has Make note of BLM status in comments section of this form. BLM operator changes should ordinarily take place prior to the completion of steps 5 through 9 below.	vi approvai o	i rederai and	Indian wei
<u>Lic</u> 5.	Changes have been entered in the Oil and Gas Information Sys	tem (3270) fe	or each well li	sted above
Fec 6.	Cardex file has been updated for each well listed above. (8-29-5)			
Fig. 7.	Well file labels have been updated for each well listed above.	(8-29-96)		
Lic 8.	Changes have been included on the monthly "Operator, Addredistribution to Trust Lands, Sovereign Lands, UGS, Tax Comm	ess, and Acco	ount Changes'	' memo foi
<u>Lic</u> 9.	A folder has been set up for the Operator Change file, and a co for reference during routing and processing of the original docu	py of this pa iments.	ge has been p	laced there

	5. Lease Designation and Serial Number:
SUNDRY NOTICES AND REPORTS	6. If Indian, Alicities or Tribe Name:
Do not use this form for proposals to drill new wells, deepen additing wells, or to rea Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for	7. Unit Agreement Name:
1. Type of Well: OIL GAS 🔀 OTHER:	8. Well Name and Number:
	9-3
2. Name of Operation Falcon Energy LLC	9. API Well Number: 43 ^ 019 - 31085
3. Address and Telephone Number: SIOW 3560 S. SLC Utah	10. Field and Pool, or Wildcat:
4. Location of Well 20 5 R 23 E Sec. 9 Footages:	county: bread
QQ, Sec.,T.,R.,M.:	State: Utah
11. CHECK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT, OR OTHER DATA
NOTICE OF INTENT	SUBSEQUENT REPORT
(Submit in Duplicate)	(Submit Original Form Only)
☐ Abandon ☐ New Construction	☐ Abandon • ☐ New Construction
☐ Repair Casing ☐ Pull or Alter Casing	☐ Repair Casing ☐ Pull or Alter Casing
☐ Change of Plans ☐ Recomplete	☐ Change of Plans ☐ Reperforate
Convert to Injection Peperforate	☐ Convert to Injection ☐ Vent or Flare
☐ Fracture Treat or Acidize ☐ Vent or Flare	☐ Fracture Treat or Acidize ☐ Water Shut-Off
☐ Multiple Completion ☐ Water Shut-Off	Other
2 0	Date of work completion
Approximate date work will start Repure Upper	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.
Zones	Must be accompanied by a cement verification report.
 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and vertical depths for all markers and zones pertinent to this work.) 	give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true
	~ (/
1. Rework & Repurter.	Dakota
2. Integrity good_4	1/21 value coment good
3. Please Extend St	e tu s
13.	
Name & Signature: Way O. Stout	Title: Field Mgs. Date: 3-5-99
This space for State use only)	
Accepted by the COPY SEN	T TO OPERATOR
Utah Division of Initials:	CHO MECEIVED
Oil, Gas and Mining	M)ECEIVEN
2 4 04	11/1/
	ns on Reverse Side)
By: PSK	
	DIV. OF OIL, GAS & MINING
	TOIL, UND & WINNING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
ATTN. JOHN R. BAZA

FALCON ENERGY LLC. OPERATOR NO. N6710 510 WEST 3560 SOUTH S.L.C. UTAH 84115

DEAR MR. BAZA,


IN RESPONSE TO YOUR NOTICE DATED 2/23/99, I ENCLOSE THIS COVER LETTER AND FIVE COPIES OF SUNDRY NOTICES TO EXPLAIN FALCON'S POSITION ON THE ENCLOSED FIVE WELLS. FALCON, HAS BEEN THE OPERATOR FOR ONLY A FEW SHORT YEARS, AND HAVE A PROGRAM TO RECOVER OIL OR GAS IN EACH OF THE FOLLOWING WELLS.

- 1. HOPE #4. DRILLED SHORT OF THE DAKOTA, WILL DEEPEN
- 2. 9-6 PURF UPPER GAS ZONES, AND BUILD PIPELINE.
- 3. 9-5 PURF UPPER ZONE, PLUG BACK LOWER MRSN.
- 4. 15-3 REWORKED LAST YEAR, NEEDS A PUMP JACK AND SMALL TANK.
- 5. 9-1 PLUG BACK, AND PURF DAKOTA THIS SPRING.

PLEASE NOTE THAT THREE OF THE ABOVE WELLS WILL BE RECOMPLETED THIS YEAR, FALCON HAS RECOMPLETED THE 9-3, A-1, 15-5, B-1, B-2, 15-8, NICHOL, KATHY, HOPE 2, 2-2, 2-3, 2-1, V-22, SINCE TAKING OVER OPERATIONS TWO AND ONE HALF YEARS AGO.

WE FEEL THAT WE WILL PROCEED AT A PRUDENT RATE OF GROWTH, PLEASE EXTEND S.I. STATUS ON THE ABOVE MENTIONED WELLS.

THANK YOU, WAYNE O. STOUT FIELD MANAGER FALCON ENERGY LLC.



Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

R	OUTING	
1.	DII	A
2	CDW	

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has char	iged,	effectiv	e:			8/1/2006		
FROM: (Old Operator):				TO: (New O ₁	perator):		-	
N0030-Ambra Oil & Gas Company *(N6710) Falo	on E	nergy		N3110-Jurassic Oil & Gas Company				
215 Hillcrest Ave 1137 19 Rd		•	aymond Ro					
Rangely, CO 81648 Fruita, CO		Fruit H	eights, UT 8	34037				
Phone: 1 (970) 629-1116		Phone: 1 (303)	887-8122					
CA No.				Unit:				
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
CISCO SS 9-3	09	200S	230E	4301931048	11809	Federal	GW	S
INLAND FUELS 9-5	09	200S	230E	4301931085	8218	Federal	GW	S
INLAND FUELS 9-6	09	200S	230E	4301931142	8218	Federal	GW	S
						-	.	
	L						1	1/22:
Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 3. The new company was checked on the Department of Commerce, Division of Corporations Database on: 4. Is the new operator registered in the State of Utah: 5. If NO, the operator was contacted contacted on: 6a. (R649-9-2)Waste Management Plan has been received on: 6b. Inspections of LA PA state/fee well sites complete on: 6c. Reports current for Production/Disposition & Sundries on: 6c. Reports current for Production/Disposition & Sundries on: 6c.								
7. Federal and Indian Lease Wells: Th					oved the r	nerger, na	me chan	ge,
or operator change for all wells listed on Fede	ral or	Indian	leases (on:	BLM_	- 8/8/2006	DIA	=:
8. Federal and Indian Units:				11 12 4 1		-1-		
The BLM or BIA has approved the successor					1:	n/a	-	
9. Federal and Indian Communization						m/a		
The BLM or BIA has approved the operator			The D	within a CA on: Pivision has appi	royad IIIC F	n/a Form 5 Trai	– asfer of A	uthority to
10. Underground Injection Control ("	UIC	")					n/a	demority to
Inject, for the enhanced/secondary recovery u	.nıt/pr	oject ic	or the w	ater disposai we	en(s) nsieu (JII.	II/a	 Y
DATA ENTRY:	50			0/20/2006				
1. Changes entered in the Oil and Gas Database	e on:			8/28/2006				
2. Changes have been entered on the Monthly C	pera	tor Ch	ange S _l	pread Sheet on	: 0	8/28/2006	<u>.</u>	
BOND VERIFICATION: 1. Federal well(s) covered by Bond Number:				UTB000220				
COMMENTS: *Lease holder (Ambra - N0030)	ransf	erred w	hole le			pproval. DO	OGM Ope	rator
of record is Falcon Energy (N6710)								
2 20 22								
			0.00					

UNITED STATES DEPARTMENT OF THE INTERIOR PORM APPROVED OM B No. 1004-0137 Expires: March 31, 2007 BUREAU OF LAND MANAGEMENT 5. Lease Serial No. URY NOTICES AND REPORTS ON WELLS UTU 42223 not use this form for proposals to drill or to re-enter an 6. If Indian, Allottee or Tribe Name abandoned well. Use Form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE- Other instructions on reverse side. 7. If Unit or CA/Agreement, Name and/or No. 1. Type of Well Oil Well ✓ Gas Well Other 2. Name of Operator JURASSIC OIL & GAS CO. 8. Well Name and No. 9. API Well No. 3a Address 3b. Phone No. (include area code) 1676 RAYMOND ROAD, FRUIT HEIGHTS, UT 84637 SEE ATTACHED 303-887-8122 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 10. Field and Pool, or Exploratory Area GREATER CISCO 11. County or Parish, State Grand County, Utah 12 CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize Notice of Intent Deepen Production (Start/Resume) Water Shut-Off Alter Casing Fracture Trent Well Integrity Subsequent Report Casing Repair New Construction Recomplete ✓ Other CHANGE OF Change Plans Final Abandonment Notice Plug and Abandon Temporarily Abandon OPERATOR Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markets and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) Effective on Aug.1, 2006, Ambra Oil & Gas Company sold all their interest and operating rights in Federal Lease UTU 42223 including the wells Elective on (1994), 2008, America On & Company som an electrometric and operating rights in Federal Lease U. 10 742423 including the listed on the attached exhibit. The new owner is Schuster Homes Inc (see attached approved assignment of record title, 100% owned by Schuster Homes Inc.) and their operator is Jurassic Oil & Gas Co., 1976 Raymond Road, Fruit Heights, UT 84037. Jurassic Oil & Gas Co. plans to operate all wells on this lease including these three previously operated by Falcan Energy. Jurassic Oil & gas Co. is responsible under the terms and condidtions of the lease for operations conducted on the lease lands or portions thereof. vil be provided by BLM Bond No. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Linda C. Gordon Title Signature Ų Date THIS SPACE FOR FEDERAL OR STATE OFFICE USE Approved by Division of Resources Conditions of approval, if any, are attached. Approval of this notice does not warrant or

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. (Instructions on page 2)

certify that the applicant holds legal or equitable title to those rights in the subject lease

which would entitle the applicant to conduct operations thereon

CONDITIONS OF APPROVAL ATTACHED

Office

Moah Field Office

EXHIBIT "A" UTU 42223

NELL NAME	WELL#	API#	QTR	SEC	TWP	RANGE	COUNTY	STATE
SLAND FUEL	9-5	43-019-31085 00 S01	SWNW		9 20S	23E	GRAND	HATU
SLAND FUEL	9-6	43-019-31142 00 S01	NESW		9 20S	23E	GRAND	HATU
CISCO SS	9-3	43-019-31048 00 S01	SENW		9 20S	23E	GRAND	HATU

Jurassic Oil and Gas Company Well Nos. 9-3, 9-5 and 9-6 Section 9, T20S, R23E Lease UTU42223 Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Jurassic Oil and Gas Company is considered to be the operator of the above wells effective August 1, 2006, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000220 (Principal – Jurassic Oil and Gas Company) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

of other partners and gotten BLM's approval.

ROUTING
1. DJJ
2. CDW

					_				2. CD 11	
X - Change of Operator (Well Sold)					Operator Name Change/Merger					
The operator of the well(s) listed below has changed, effective:						1	0/27/2007			
FROM:	(Old Operator):				TO: (New O ₁	perator):				
N3110-Jui	· · · · · · · · · · · · · · · · · · ·				N3345-Schuste		nc.			
	215 Hillcrest Ave					eefer Rd				
Rangeley, CO 81648			Chico,	CA 95973						
Phone: 1 (Phone: 1 (970) 629-1116				Phone: 1 (530)	894-0894				
,	CA No.				Unit:				-	
WELL NA		SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL	
						NO	ТҮРЕ	TYPE	STATUS	
	SEE ATTACHED LIST									
	some wells changed names					<u> </u>		1		
	TOR CHANGES DOCUMENT	ATI	ON							
	e after each listed item is completed		. 10		CODMED		1/4/2006	,		
•	2-8-10) Sundry or legal documentation wa				-		1/4/2008	_		
`	9-8-10) Sundry or legal documentation wa				-		1/4/2008	_		
3. The n	ew company was checked on the Depart	ment	of Cor	nmerce	, Division of C	orporation	s Database o	n:	1/16/2008	
4a. Is the	e new operator registered in the State of U	Jtah:		YES	Business Numb	oer:	6833582-014	13		
4b. If No.	O, the operator was contacted contacted of	n:			•			_		
5a. (R649-	9-2)Waste Management Plan has been re	eceive	d on:		12/14/2007					
5b. Inspections of LA PA state/fee well sites complete on:					n/a					
-	ts current for Production/Disposition & S					_				
-	eral and Indian Lease Wells: The BI			A RIA ا	as approved the	- merger no	me chance			
						BLM	10/26/2007	7 DIA		
-	erator change for all wells listed on Feder eral and Indian Units:	ai or .	шаш	leases o	11.	DLM	- 10/20/2007	DIA	-	
		· · · ·	-•a		11 1!41	_	1-			
	BLM or BIA has approved the successor					•	n/a	_		
	eral and Indian Communization Ag			•			,			
	BLM or BIA has approved the operator		l wells			4 I II C E	n/a	_ .fo., of A	thouite to	
	erground Injection Control ("UIC'	-			vision has appr				unority to	
•	t, for the enhanced/secondary recovery un	ut/pro	ject to	r the wa	iter disposal we	li(s) listed o	n:	<u>n/a</u>	-	
	ENTRY:				4.4.5.0000					
-	ges entered in the Oil and Gas Database		C.	c	1/16/2008	_	1/1//0000			
	ges have been entered on the Monthly O	perat	or Cha	ange Sp			1/16/2008			
	information entered in RBDMS on: tate wells attached to bond in RBDMS or	••			n/a n/a	-				
	ion Projects to new operator in RBDMS of				n/a	-				
	pt of Acceptance of Drilling Procedures		PD/Ner	w on.	IV a	- n/a				
	VERIFICATION:	.01 2 11	. 13/110	W OII.		11/4				
	al well(s) covered by Bond Number:				UTB000238					
	well(s) covered by Bond Number:				n/a	-				
	9-3-1) The NEW operator of any fee we	ll(s) l	isted co	overed l		- er	n/a			
`	3b. The FORMER operator has requested a release of liability from their bond on: n/a									
	The Division sent response by letter on:									
	INTEREST OWNER NOTIFIC	CAT	ION:							
	2-10) The FORMER operator of the fee			en con	acted and infor	med by a let	tter from the	Division		
	r responsibility to notify all interest owner					n/a				
COMME										

Wells formerly operated by Ambra Oil before Jurassic. Mr. Schuster was partners in both and has taken over duties

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST				
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT of CA AGREEMENT NAME:				
1. TYPE OF WELL OIL WELL . GAS WELL . OTHER	8. WELL NAME and NUMBER: SEE ATTACHED LIST				
2. NAME OF OPERATOR: SCHUSTER HOMES INC. N3345	9. API NUMBER: LINHFDD				
3. ADDRESS OF OPERATOR: 3746 KEEFER ROAD CITY CHICO STATE CA ZIP 95973 PHONE NUMBER: (530) 894-0894	10. FIELD AND POOL, OR WILDCAT: GREATER CISCO				
4. LOCATION OF WELL and the restriction of the state of the restriction of the state of the restriction of the state of the restriction of the state of the state of the restriction of the state of th					
FOOTAGES AT SURFACE:	COUNTY: GRAND				
QTRQTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH				
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA				
TYPE OF SUBMISSION TYPE OF ACTION					
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION				
(Submit in Duplicate)	SIDETRACK TO REPAIR WELL				
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON				
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR				
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE				
SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL NAME PLUG BACK	WATER DISPOSAL WATER SHUT-OFF				
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)					
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	OTHER:				
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume					
Effective October 27, 2007, Schuster Homes Inc. took over as operator of all wells previously operated by Jurassic Oil and Gas Company. The new operator is Schuster Homes Inc., 3746 Keefer Road, Chico, CA 95973. Jurassic Oil and Gas relinquishes ownership of all operating rights to Schuster Homes Inc. New Operator/Schuster Homes Inc. Date:					
Jurassic Oil + Gas (N3/10	alty Report Manager				
NAME (PLEASE PRINT)	vil . Abar the manager				
SIGNATURE JULIA JACK DATE 1/2/2008					
APPROVED 1716/2008	RECEIVED JAN 0 4 2008				
(5/2000) Russell Russell	07 HT U T 2000				
Division of Oil, Gas and Mining	. 69 04., 642.2 sisu ng				

SCHUSTER HOMES INC ATTACHMENT TO FORM 9

		LE	ASE UTU32574					
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE	
BROWNDIRT	1	43-019-30395 00 S01	SWNE	14 20\$	23E	GRAND	UTAH	
LEVON	1	43-019-30402 00 S01	SENW	11 20\$	23E	GRAND	UTAH	
BROWNDIRT	2	43-019-30691 00 S01	SENE	14 20S	23E	GRAND	UTAH	
BROWNDIRT	5	43-019-31143 00 S01	SWNE	14 20S	23E	GRAND	UTAH	
LEVON	3	43-019-31234 00 S01	SENW	11 20S	23E	GRAND	UTAH	
			ASE UTU 42223					
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE	
ISLAND FUEL	22.4.1	43-019-30950 00 S01	NWNE	23 208	23E	GRAND	UTAH	
ISLAND FUEL		43-019-30998 00 S01	NESE	23 208	23E	GRAND	UTAH	
ISLAND FUEL		43-019-31050 00 S01	SWNE	23 208	23E	GRAND	UTAH	
CISCO SS	11-5	43-019-31056 00 S01	SWNE	11 208	23E	GRAND	UTAH	
FEDERAL		43-019-31073 00 S01	SWNE	23 208	23E	GRAND	UTAH	
FEDERAL		43-019-31049 00 S01	NENE	10 208	23E	GRAND	UTAH	
FEDERAL		43-019-31053 00 S01	NWSE	23 208	23E	GRAND	UTAH	
CISCO SS		43-019-31147 00 S01	NWNE	11 20S	23E	GRAND	UTAH	
ISLAND FUEL	9-5 *	43-019-31085 00 S01	SWNW	9 208	23E	GRAND	UTAH	
ISLAND FUEL	·	43-019-31142 00 S01	NESW	9 208	23E	GRAND	UTAH	
	9-3	43-019-31142 00 S01	SENW	9 208	23E	GRAND	UTAH	
CISCO SS	3-3	43-013-31040 00 301	OLIV	0 200		0.0		
			ASE UTU 44440	OCO TMD	RANGE	COUNTY	STATE	
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	SIAIL	
тхо	14-1	43-019-30610 00 S01	swsw	14 20S	23E	GRAND	UTAH	
TXO	15-2	43-019-30690 00 S01	NENW	15 20S	23E	GRAND	UTAH	
TXO MESA		43-019-30693 00 S01	NENW	23 20\$	23E	GRAND	UTAH	
TXO	14-2	43-019-31089 00 S01	SWSW	14 20S	23E	GRAND	UTAH	
TXO	14-3	43-019-31144 00 S01	SWSW	14 20S	23E	GRAND	UTAH	
TXO		43-019-30832 00 S01	SESE	15 20S	23E	GRAND	UTAH	
TXO	23-1C	43-019-31220 00 S01	NENW	23 208	23E	GRAND	UTAH	
17.0								
			ASE UTU 24606	CEC TAID	DANCE	COUNTY	STATE	
WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	SIAIE	
FLORIDA EX	25.2	43-019- 31 17 00 S01	NENE	25 20S	23E	GRAND	UTAH	
	25-0 h							
		31107						

* changed well names on OGIS

(February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPRO OM B No. 1004 Expires: March	

SUNDRY NOTICES AND REPORTS ON WELLS

Lease Serial No.	
UTU 4222:	3

Do not use the abandoned we	6. If Indian,	Allottee or Tribe Name					
SUBMIT IN TR	7. If Unit or CA/Agreement, Name and/or No.						
1. Type of Well Oil Well	8. Well Name and No. SEE ATTACHED LIST 9. API Well No. SEE ATTACHED 10. Field and Pool, or Exploratory Area						
2. Name of Operator SCHUSTER							
Ba. Address 3746 KEEFER ROAD, CHIC							
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SEE ATTACHED LIST					GREATER CISCO 11. County or Parish, State GRAND COUNTY, UTAH		
12. CHECK AI	PPROPRIATE BOX(ES) TO	O INDICATE NATUR	E OF NOTICE, R	EPORT, OR	OTHER DATA		
TYPE OF SUBMISSION		TYF	E OF ACTION				
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (State Reclamation Recomplete Temporarily At Water Disposal	,	Water Shut-Off Well Integrity Other CHANGE OF OPERATOR		
Attach the Bond under which the following completion of the inv	ctionally or recomplete horizontane work will be performed or pro-	ally, give subsurface location wide the Bond No. on file won to results in a multiple compl	s and measured and truith BLM/BIA. Require etion or recompletion is	ne vertical depths ed subsequent rep n a new interval,	of all pertinent markers and zones. corts must be filed within 30 days a Form 3160-4 must be filed once		

testing has been completed. Final Abandonment Notices must be filed only after all requirements, including rectamation, nave been completed, and the operation of the completed determined that the site is ready for final inspection.)

EFFECTIVE OCT. 22, 2007, SCHUSTER HOMES INC. WILL TAKE OVER AS OPERATOR OF THE ABOVE LISTED WELL. SCHUSTER HOMES INC. IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF.

NEW OPERATOR SCHUSTER HOMES INC. 10/22/07 DATE	2008 OCT 22 A	MOAB FIELD
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Stephen J. Schuster, Schuster Hores Inc. Title President Date 10/22/07 THIS SPACE FOR FEDERAL OR STATE OFFICE USE	25	주 - 주
Approved by ACCEPTED Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.	f the Un	ited

(Instructions on page 2)

CC:UDOGM

Conditions Attached

OCT 2 6 2007

Schuster Homes Inc. All Wells on Lease (Well Nos. 9-3, 9-5, 9-6, 10-2, 11-5, 11-8B, 23-4, 23-8, 23-10, 23-14, and 23-15) Lease UTU42223 Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Schuster Homes Inc. is considered to be the operator of the above wells effective October 22, 2007, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000238 (Principal – Schuster Homes Inc.) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable <u>until</u> the provisions of 43CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A" UTU 42223

WELL NAME	WELL#	API#	QTR	SEC TWP	RANGE	COUNTY	STATE
ISLAND FUEL	23-4	43-019-30950 00 S01	NWNE	23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-8	43-019-30998 00 S01	NESE	23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-10	43-019-31050 00 S01	SWNE	23 20S	23E	GRAND	UTAH
CISCO SS	11-5	43-019-31056 00 S01	SWNE	11 20S	23E	GRAND	UTAH
FEDERAL	23-15	43-019-31073 00 S01	SWNE	23 20S	23E	GRAND	UTAH
FEDERAL FEDERAL CISCO SS ISLAND FUEL ISLAND FUEL CISCO SS	10-2	43-019-31049 00 S01	NENE	10 20S	23E	GRAND	UTAH
	23-14	43-019-31053 00 S01	NWSE	23 20S	23E	GRAND	UTAH
	11-8B	43-019-31147 00 S01	NWNE	11 20S	23E	GRAND	UTAH
	9-5	43-019-31085 00 S01	SWNW	9 20S	23E	GRAND	UTAH
	9-6	43-019-31142 00 S01	NESW	9 20S	23E	GRAND	UTAH
	9-3	43-019-31048 00 S01	SENW	9 20S	23E	GRAND	UTAH

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET (for state use only)

]	ROUTING
Г	CDW

X - Change of Operator (Well Sold)			Operator Na	ame Chan	ge/Merger		
The operator of the well(s) listed below has change	:			3/31/2013			
FROM: (Old Operator): N3345- Schuster Homes Inc. 3746 Keefer Rd Chico, CA 95973			TO: (New O N2195- Runnii 6855 S. Havan Centennial, CC	ng Foxes Pe a St, Suite #			
Phone: 1 (Phone: 1 (720)	-889-0510			
CA No.			Unit:				
	SEC TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
See ATTACHED List					All Federal		
OPERATOR CHANGES DOCUMENTA Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was 2. (R649-8-10) Sundry or legal documentation was 3. The new company was checked on the Departm 4a. Is the new operator registered in the State of Ur 5a. (R649-9-2) Waste Management Plan has been rec 5b. Inspections of LA PA state/fee well sites completed. Reports current for Production/Disposition & Su 6. Federal and Indian Lease Wells: The BLM or operator change for all wells listed on Federal	received from the tah: Serived on: Serived on: Serived on: Serived on: And or the	om the merce	NEW operator , Division of Co Business Numb Not Yet N/A 6/17/2013 has approved the	on: orporations oer: - -	6097088-0143 me change,	BIA	
or operator change for all wells listed on Federal or Indian leases on: 7. Federal and Indian Units:					. Not yet	BIA	_ N/A
The BLM or BIA has approved the successor of the BLM or BIA has approved the operator for the BLM or BIA has approved the operator for the Underground Injection Control ("UIC") Inject, for the enhanced/secondary recovery unit	eements (" or all wells lis Division h	CA") sted w nas ap): rithin a CA on: proved UIC F	orm 5 Trar		ity to	
DATA ENTRY:	/project for i	me wa	iter disposar wer	n(s) nstea o	III .	IN/A	_
 Changes entered in the Oil and Gas Database of Changes have been entered on the Monthly Ope Bond information entered in RBDMS on: Fee/State wells attached to bond in RBDMS on: Injection Projects to new operator in RBDMS on Receipt of Acceptance of Drilling Procedures for BOND VERIFICATION: 	erator Chan		7/17/201 read Sheet on: N/A N/A- no State/f N/A		7/17/201	3	
1. Federal well(s) covered by Bond Number:			UTB 000207				
 Indian well(s) covered by Bond Number: (R649-3-1) The NEW operator of any state/fee The FORMER operator has requested a release 	• •		N/A red by Bond Nu	imber N/A	N/A		
LEASE INTEREST OWNER NOTIFICA	ATION.						
4. (R649-2-10) The NEW operator of the fee wells he of their responsibility to notify all interest owners COMMENTS:	nas been cont			y a letter fro N/A	om the Division		

Schuster Homes Inc (N3345) to Running Foxes Petroleum Inc (N2195) Effective 31-March-2013

					Utah	Lease		Well
Well Name	Sec.	Twnshp	Range	API No.	Entity No.	Type	Well Type	Status
BROWNDIRT 1	14	200S	230E	4301930395	2230	Federal	Gas Well	Shut-in
BROWNDIRT 2	14	200S	230E	4301930691	2230	Federal	Gas Well	Shut-in
BROWNDIRT 5	14	200S	230E	4301931143	9292	Federal	Gas Well	Shut-in
LEVON 1	11	200S	230E	4301930402	2230	Federal	Oil Well	Shut-in
LEVON 3	11	200S	230E	4301931234	10802	Federal	Oil Well	Shut-in
FEDERAL 10-2	10	200S	230E	4301931049	9465	Federal	Gas Well	Shut-in
CISCO SS 11-5	11	200S	230E	4301931056	2275	Federal	Oil Well	Shut-in
CISCO SS 9-3	09	200S	230E	4301931048	11809	Federal	Gas Well	Shut-in
FEDERAL 23-14	23	200S	230E	4301931053	10225	Federal	Gas Well	Shut-in
FEDERAL 23-15	23	200S	230E	4301931073	2280	Federal	Oil Well	Shut-in
ISLAND FUEL 23-4	23	200S	230E	4301930950	2265	Federal	Gas Well	Shut-in
CISCO SS 11-8B	11	200S	230E	4301931147	10881	Federal	Oil Well	Shut-in
ISLAND FUEL 23-10	23	200S	230E	4301931050	2275	Federal	Gas Well	Shut-in
ISLAND FUEL 23-8	23	200S	230E	4301930998	2270	Federal	Gas Well	Shut-in
ISLAND FUEL 9-5	09	200S	230E	4301931085	8218	Federal	Gas Well	Shut-in
ISLAND FUEL 9-6	09	200S	230E	4301931142	8218	Federal	Gas Well	Shut-in
TXO 14-1	14	200S	230E	4301930610	2240	Federal	Oil Well	Shut-in
TXO 14-2	14	200S	230E	4301931089	2290	Federal	Oil Well	Shut-in
TXO 14-3	14	200S	230E	4301931144	2290	Federal	Oil Well	Shut-in
TXO 15-2	15	200S	230E	4301930690	2245	Federal	Oil Well	Shut-in
TXO 15-4	15	200S	230E	4301930832	8221	Federal	Oil Well	Shut-in
TXO 23-1C	23	200S	230E	4301931220	10678	Federal	Oil Well	Shut-in
TXO MESA 23-1	23	200S	230E	4301930693	2250	Federal	Oil Well	Shut-in

RECEIVED ڷؙڒؙ

STATE OF UTAH

, may	_	•		
N	2	6	2013	

FORM 9

	DIVISION OF OIL, GAS AND M	CHAIN THE HIS COUNTY AND A STREET	5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
SUNDRY	NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill r drill horizontal la	new wells, significantly deepen existing wells below cu aterals. Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	7. UNIT of CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL			8. WELL NAME and NUMBER: SEE ATTACHED LIST
2. NAME OF OPERATOR: RUNNING FOXES PETRO	OLEUM, INC. N219	5	9. API NUMBER: attached
3. ADDRESS OF OPERATOR:	Y Centennial STATE CO ZIF	PHONE NUMBER: (720) 889-0510	10. FIELD AND POOL, OR WILDCAT: GREATER CISCO
4. LOCATION OF WELL FOOTAGES AT SURFACE:			COUNTY: GRAND
QTR/QTR, SECTION, TOWNSHIP, RAN	IGE, MERIDIAN:		STATE: UTAH
11. CHECK APPR	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
240 or many conspicuous.	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
Effective March 31, 2013, previously operated by Sci	Running Foxes Petroleum, Inc. t	pertinent details including dates, depths, volume	
NAME (PLEASE PRINT) Steven A. SIGNATURE	Tedesco	TITLE President DATE 6-24-20	013

APPROVED

JUL 1 7 2013

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING BY: Zeke Clement for Rachel Medina

Well Name	API Well Number	Lease	Well Type	Qtr/Qtr	SEC	TWP-RNG
Browndirt 1	43-019-30395-00-00	UTU 032574	Gas Well	SWNE	14	20S-23E
Browndirt 2	43-019-30691-00-00	UTU 032574	Gas Well	SENE	14	20S-23E
Browndirt 5	43-019-31143-00-00	UTU 032574	Gas Well	SWNE	14	20S-23E
Levon 1	43-019-30402-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Levon 3	43-019-31234-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Cisco SS 10-2 (Federal 10-2)	43-019-31049-00-00	UTU 042223	Gas Well	NENE	10	20S-23E
Cisco SS 11-5	43-019-31056-00-00	UTU 042223	Oil Well	SWNE	11	20S-23E
Cisco SS 9-3	43-019-31048-00-00	UTU 042223	Gas Well	SENW	9	20S-23E
Federal 23-14	43-019-31053-00-00	UTU 042223	Gas Well	NWSE	23	20S-23E
Federal 23-15	43-019-31073-00-00	UTU 042223	Oil Well	SWNE	23	20S-23E
Inland Fuels 23-4 (Island Fuel 23-4)	43-019-30950-00-00	UTU 042223	Gas Well	SWNE	23	20S-23E
Inland Fuels 11-8B (Cisco SS 11-8B)	43-019-31147-00-00	UTU 042223	Oil Well	NWNE	11	20S-23E
Inland Fuels 23-10 (Island Fuel 23-10)	43-190-31050-00-00	UTU 042223	Gas Well	SWNE	23	20S-23E
Inland Fuels 23-8 (Island Fuel 23-8)	43-019-30998-00-00	UTU 042223	Gas Well	NESE	23	20S-23E
Inland Fuels 9-5 (Island Fuel 9-5)	43-019-31085-00-00	UTU 042223	Gas Well	SWNW	9	20S-23E
Inland Fuels 9-6 (Island Fuel 9-6)	43-019-31142-00-00	UTU 042223	Gas Well	NESW	9	20S-23E
TXO 14-1	43-019-30610-00-00	UTU 044440	Oil Well	swsw	14	20S-23E
TXO 14-2	43-019-31089-00-00	UTU 044440	Oil Well	SWSW	14	20S-23E
TXO 14-3	43-019-31144-00-00	UTU 044440	Oil Well	SWSW	14	20S-23E
TXO 15-2	43-019-30690-00-00	UTU 044440	Oil Well	NENW	15	20S-23E
TXO 15-4	43-019-30832-00-00	UTU 044440	Oil Well	SESE	15	20S-23E
TXO 23-1C	43-019-31220-00-00	UTU 044440	Oil Well	NENW	23	20S-23E
TXO Mesa 23-1	43-019-30693-00-00	UTU 044440	Oil Well	NENW	23	20S-23E
						· · · · · · · · · · · · · · · · · · ·

RECEIVED JUN 2 6 2013

Div. of Oil, Gas & Mining

STATE OF UTAH

	DIVISION OF OIL, GAS AND M		5 LEASE DESIGNATION AND SERAL NUMBER: SEE ATTACHED LIST
SUNDR	Y NOTICES AND REPORT	S ON WELLS	B. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	I new wells, significantly deepen existing wells below ou laterals. Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL	GAS WELL OTHER_		8 WELL NAME and NUMBER: SEE ATTACHED LIST
2 NAME OF OPERATOR			9 API NUMBER:
SCHUSTER HOMES, IN	C.		ATTACHED
	_{TY} CHICO STATE CA 216	95973	10. FIELD AND POOL, OR WILDCAT GREATER CISCO
4. LOCATION OF WELL			
FOOTAGES AT SURFACE			COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN:		STATE UTAH
11 CHECK APP	ROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE REPO	RT. OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	,
	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING	FRACTURETREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	✓ OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS		
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
	CONVERT WELL TYPE	RECLAMATION OF WELL SITE	OTHER:
12 DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all pe	RECOMPLETE - DIFFERENT FORMATION	
Effective March 31, 2013,	Running Foxes Petroleum, Inc. o	f 6855 S. Havana St., #400 Cente	ennial, CO 80112 took over ransfers ownership of all
NAME (PLEASE PRINT) Stephen J. SIGNATURE	Schuster	TITLE President	RECEIVEL JUL 15 2013 Div. of Oil, Gas & Mining
is space for State use only)			

APPROVED

(5/2000)

JUL 1 7 2013

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING BY: Edle Clemento For Rachel Medina

Well Name	API Well Number	Lease	Well Type	Qtr/Qtr	SEC	TWP-RNG
Browndirt 1	43-019-30395-00-00	UTU 032574	Gas Well	SWNE	14	20\$-23E
Browndirt 2	43-019-30691-00-00	UTU 032574	Gas Well	SENE	14	20S-23E
Browndirt 5	43-019-31143-00-00	UTU 032574	Gas Well	SWNE	14	20S-23E
Levon 1	43-019-30402-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Levon 3	43-019-31234-00-00	UTU 032574	Oil Well	SENW	11	20S-23E
Cisco SS 10-2 (Federal 10-2)	43-019-31049-00-00	UTU 042223	Gas Well	NENE	10	20S-23E
Cisco SS 11-5	43-019-31056-00-00	UTU 042223	Oil Well	SWNE	11	209-23E
Cisco SS 9-3	43-019-31048-00-00	UTU 042223	Gas Well	SENW	9	20S-23E
Federal 23-14	43-019-31053-00-00	UTU 042223	Gas Well	NWSE	23	20S-23E
Federal 23-15	43-019-31073-00-00	UTU 042223	Oil Well	SWNE	23	20S-23E
Inland Fuels 23-4 (Island Fuel 23-4)	43-019-30950-00-00	UTU 042223	Gas Well	SWNE	23	208-23E
Intand Fuels 11-88 (Cisco SS 11-88)	43-019-31147-00-00	UTU 042223	Oil Well	NWNE	11	20S-23E
Inland Fuels 23-10 (Island Fuel 23-10)	43-190-31050-00-00	UTU 042223	Gas Well	SWNE	23	20S-23E
Inland Fuels 23-8 (Island Fuel 23-8)	43-019-30998-00-00	UTU 042223	Gas Weil	NESE	23	208-23E
nland Fuels 9-5 (Island Fuel 9-5)	43-019-31085-00-00	UTU 042223	Gas Welt	SWNW	9	20S-23E
nland Fuels 9-6 (Island Fuel 9-6)	43-019-31142-00-00	UTU 042223	Gas Well	NESW	9	208-23E
FXO 14-1	43-019-30610-00-00		2011			
TXO 14-2	43-019-30818-00-00	UTU 044440	Oil Well	swsw	14	20S-23E
TXO 14-2		UTU 044440	Oil Well	SWSW	14	208-23E
XO 14-3	43-019-31144-00-00	UTU 044440	Oil Well	swsw	14	208-23E
IXO 15-4	43-019-30690-00-00	UTU 044440	Oli Well	NENW	15	20\$-23E
XO 23-1C	43-019-30832-00-00	UTU 044440	Oil Well	SESE	15	208-23E
XO Mesa 23-1	43-019-31220-00-00	UTU 044440	Oil Well	NENW	23	208-23E
AU Mesa 23-1	43-019-30693-00-00	UTU 044440	Oil Well	NENW	23	208-23E
		·				
						
				L		

Oil, of Oil, Gas & Mining